

Product data sheet

Specifications



Cylindrical barrel 1242E keylock

NSYIN1242E1

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

Range	PanelSeT
Accessory / separate part category	Locking accessory
Product or Component Type	Cylindrical barrel
Application	Multi-purpose
Mounting Support	Handle
Product Compatibility	SF, SM, SD and PLA enclosures
Range compatibility	PanelSeT SF PanelSeT SM PanelSeT SD PanelSeT PLA
Device composition	1 cylindrical barrel 2 key

Complementary

Quantity per Set	Set of 1
Type of Keylock	Cylinder
Key number	1242E

Ordering and shipping details

Category	US10ES180036
Discount Schedule	0ES1
GTIN	3606480064593
Returnability	No
Country of origin	DE

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	3.937 in (10.000 cm)
Package 1 Width	3.543 in (9.000 cm)
Package 1 Length	1.181 in (3.000 cm)
Package weight(Lbs)	2.257 oz (64.000 g)
Unit Type of Package 2	CAR
Number of Units in Package 2	100

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 2 Height	7.874 in (20.000 cm)
Package 2 Width	9.843 in (25.000 cm)
Package 2 Length	13.780 in (35.000 cm)
Package 2 Weight	14.727 lb(US) (6.680 kg)
Unit Type of Package 3	PAM
Number of Units in Package 3	1500
Package 3 Height	33.465 in (85.000 cm)
Package 3 Width	39.370 in (100.000 cm)
Package 3 Length	47.244 in (120.000 cm)
Package 3 Weight	239.599 lb(US) (108.680 kg)

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Total lifecycle Carbon footprint	0.4 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	0.2 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	0 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	0 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	0.1 kg CO2 eq.
Environmental Disclosure	Product Environmental Profile

Use Better



Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
SCIP Number	52da316e-d4e1-4114-85c0-32a03b2934fd
EU RoHS Directive	Compliant By Exemption
REACH Regulation	Reference contains Substances of Very High Concern above the threshold
PVC free	Yes
Silicon free	No

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

Recyclability potential, in %	98
Circularity Profile	No need of specific recycling operations
Take-back	No