

Product data sheet

Specifications

Shape insert - lock 5 mm double bar



NSYINDB51

Product availability: Stock - Normally stocked in distribution facility

Main

Range	PanelSeT
Product or Component Type	Lock insert

Complementary

Accessory / separate part category	Locking accessory
Accessory / Separate Part Type	Insert for lock
Device Application	Multi-purpose
Mounting Support	Direct mounting on handle
Range compatibility	PanelSeT SM PanelSeT SF PanelSeT SD
Device composition	1 shape insert 1 key
Quantity per Set	Set of 1
Lock type	Lock 5 mm double bar

Ordering and shipping details

Category	US10ES180036
Discount Schedule	0ES1
GTIN	3606480064821
Returnability	Yes
Country of origin	BA

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	1.181 in (3.000 cm)
Package 1 Width	2.362 in (6.000 cm)
Package 1 Length	3.150 in (8.000 cm)
Package weight(Lbs)	1.693 oz (48.000 g)
Unit Type of Package 2	CAR
Number of Units in Package 2	50
Package 2 Height	5.906 in (15.000 cm)
Package 2 Width	11.024 in (28.000 cm)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 2 Length	14.567 in (37.000 cm)
Package 2 Weight	5.935 lb(US) (2.692 kg)
Unit Type of Package 3	PAL
Number of Units in Package 3	50
Package 3 Height	5.906 in (15.000 cm)
Package 3 Width	11.024 in (28.000 cm)
Package 3 Length	14.567 in (37.000 cm)
Package 3 Weight	5.935 lb(US) (2.692 kg)

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Total lifecycle Carbon footprint	0.3 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	0.2 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	0 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	0 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	0.1 kg CO2 eq.
Environmental Disclosure	Product Environmental Profile

Use Better



Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
SCIP Number	52da316e-d4e1-4114-85c0-32a03b2934fd
EU RoHS Directive	Compliant By Exemption
REACH Regulation	Reference contains Substances of Very High Concern above the threshold

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

Recyclability potential, in %	98
Circularity Profile	No need of specific recycling operations
Take-back	No