

Product data sheet

Specifications



AC female connector for Multi-fixing LED lamps, 3P, screw connection, 250V/16A

NSYLAMACF

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

Range	PanelSeT
Range compatibility	PanelSeT
Accessory / separate part category	Connection accessory
Product or Component Type	Cable connector
Application	Cable installation
Additional information	With strain relief
Line Rated Current	16 A
Rated voltage	250 V
Network type	AC

Complementary

Connector Type	Female
Material	Polyamide
Body colour	Black
Fixing mode	Screw
Cable outer diameter	0.2...0.4 in (5.5...9 mm)
Nominal cross section	0.0008...0.004 in² (0.5...2.5 mm²)
Cable cross section	0.0008...0.004 in² (0.5...2.5 mm²)
Height	0.5 in (13.8 mm)
Width	0.9 in (23 mm)
Depth	2.09 in (53.2 mm)
IP degree of protection	IP20

Ordering and shipping details

Category	US10ES180036
Discount Schedule	0ES1
GTIN	3606489550837
Returnability	No
Country of origin	DE

Packing Units

Unit Type of Package 1	PCE
------------------------	-----

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Nbr. of units in pkg.	1
Package 1 Height	0.315 in (0.800 cm)
Package 1 Width	0.984 in (2.500 cm)
Package 1 Length	2.165 in (5.500 cm)
Package weight(Lbs)	0.459 oz (13.000 g)
Unit Type of Package 2	BB1
Number of Units in Package 2	10
Package 2 Height	1.181 in (3.000 cm)
Package 2 Width	3.543 in (9.000 cm)
Package 2 Length	5.118 in (13.000 cm)
Package 2 Weight	4.586 oz (130.000 g)
Unit Type of Package 3	CAR
Number of Units in Package 3	100
Package 3 Height	7.087 in (18.000 cm)
Package 3 Width	7.087 in (18.000 cm)
Package 3 Length	8.071 in (20.500 cm)
Package 3 Weight	2.976 lb(US) (1.350 kg)

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Environmental Disclosure

[Product Environmental Profile](#)

Use Better



Materials and Substances

Packaging made with recycled cardboard

No

Packaging without single use plastic

No

EU RoHS Directive

[Compliant](#)

REACH Regulation

[Free of Substances of Very High Concern above the threshold](#)

Use Longer



Lifetime extension

Repair

No

Use Again



Repack and remanufacture

Circularity Profile

[End of Life Information](#)

Take-back

No

WEEE Label



The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.