


Product data sheet

Specifications



Microperforated mounting plate H1000xW1000 w/holes diam 3,6mm on 12,5mm pitch

NSYMF1010

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

Range	PanelSeT
Accessory / separate part category	Mounting accessory
Product or Component Type	Mounting plate
Device Application	Multi-purpose
Enclosure nominal dimensions	- H: 39.4 in (1000 mm) W: 39.4 in (1000 mm)
Mounting Location	Direct fixing on backstuds Step slide
Mounting plate description	Microperforated
Range compatibility	PanelSeT S3D PanelSeT CRN PanelSeT PLM
Quantity per Set	Set of 1
Material	galvanised steel

Complementary

Fixing mode	Screwed on backstuds M8 By fixing element
Permanent permissible load	497.4 lb(US) (225.6 kg) S3D, CRN, S3X enclosures 298.5 lb(US) (135.4 kg) PLM enclosure
Maximum load	551.2 lb(US) (250 kg) S3D, CRN, S3X enclosures 330.7 lb(US) (150 kg) PLM enclosure
Height	37.4 in (950 mm)
Width	37.4 in (950 mm)
Surface and useful surface	9.7 ft² (90.3 dm²)
thickness	0.10 in (2.5 mm)
Product Weight	39.300 lb(US) (17.826 kg)

Ordering and shipping details

Category	US10ES180036
Discount Schedule	0ES1
GTIN	3606480182976
Returnability	No
Country of origin	ES

Packing Units

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	0.394 in (1.000 cm)
Package 1 Width	37.402 in (95.000 cm)
Package 1 Length	37.402 in (95.000 cm)
Package weight(Lbs)	37.479 lb(US) (17.000 kg)
Unit Type of Package 2	PAM
Number of Units in Package 2	25
Package 2 Height	23.031 in (58.500 cm)
Package 2 Width	39.370 in (100.000 cm)
Package 2 Length	47.244 in (120.000 cm)
Package 2 Weight	965.625 lb(US) (438.000 kg)

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Environmental Disclosure

[Product Environmental Profile](#)

Use Better



Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant
REACH Regulation	Free of Substances of Very High Concern above the threshold
PVC free	Yes
Silicon free	Yes

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

Circularity Profile	No need of specific recycling operations
Take-back	No