


# Product data sheet

Specifications



## Microperforated mounting plate H500xW400 w/holes diam 3,6mm on 12,5mm pitch

NSYMF54

**Product availability: Stock - Normally stocked in distribution facility**

### Main

|                                    |                                              |
|------------------------------------|----------------------------------------------|
| Range                              | PanelSeT                                     |
| Accessory / separate part category | Mounting accessory                           |
| Product or Component Type          | Mounting plate                               |
| Device Application                 | Multi-purpose                                |
| Enclosure nominal dimensions       | - H: 19.7 in (500 mm) W: 15.7 in (400 mm)    |
| Mounting Location                  | Step slide<br>Direct fixing on backstuds     |
| Mounting plate description         | Microperforated                              |
| Range compatibility                | PanelSeT S3D<br>PanelSeT CRN<br>PanelSeT PLM |
| Quantity per Set                   | Set of 1                                     |
| Material                           | galvanised steel                             |

### Complementary

|                            |                                              |
|----------------------------|----------------------------------------------|
| Fixing mode                | Screwed on backstuds M8<br>By fixing element |
| Permanent permissible load | 198.4 lb(US) (90 kg)                         |
| Height                     | 18.3 in (465 mm)                             |
| Width                      | 13.8 in (350 mm)                             |
| Depth                      | 4.9 in (125 mm)                              |
| thickness                  | 0.07 in (1.8 mm)                             |
| Product Weight             | 5.3 lb(US) (2.4 kg)                          |

### Ordering and shipping details

|                   |               |
|-------------------|---------------|
| Category          | US10ES180036  |
| Discount Schedule | 0ES1          |
| GTIN              | 3606480183065 |
| Returnability     | Yes           |
| Country of origin | ES            |

### Packing Units

|                        |     |
|------------------------|-----|
| Unit Type of Package 1 | PCE |
| Nbr. of units in pkg.  | 1   |

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

|                              |                              |
|------------------------------|------------------------------|
| Package 1 Height             | 0.118 in (0.300 cm)          |
| Package 1 Width              | 13.780 in (35.000 cm)        |
| Package 1 Length             | 18.504 in (47.000 cm)        |
| Package weight(Lbs)          | 5.291 lb(US) (2.400 kg)      |
| Unit Type of Package 2       | P12                          |
| Number of Units in Package 2 | 200                          |
| Package 2 Height             | 16.929 in (43.000 cm)        |
| Package 2 Width              | 31.496 in (80.000 cm)        |
| Package 2 Length             | 47.244 in (120.000 cm)       |
| Package 2 Weight             | 1102.753 lb(US) (500.200 kg) |

## Contractual warranty

|                      |    |
|----------------------|----|
| Warranty (in months) | 18 |
|----------------------|----|



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



### Environmental footprint

Environmental Disclosure

[Product Environmental Profile](#)

## Use Better



### Materials and Substances

|                                        |                                                                             |
|----------------------------------------|-----------------------------------------------------------------------------|
| Packaging made with recycled cardboard | No                                                                          |
| Packaging without single use plastic   | No                                                                          |
| EU RoHS Directive                      | <a href="#">Compliant</a>                                                   |
| REACH Regulation                       | <a href="#">Free of Substances of Very High Concern above the threshold</a> |
| PVC free                               | Yes                                                                         |
| Silicon free                           | Yes                                                                         |

## Use Longer



### Lifetime extension

|        |    |
|--------|----|
| Repair | No |
|--------|----|

## Use Again



### Repack and remanufacture

|                     |                                          |
|---------------------|------------------------------------------|
| Circularity Profile | No need of specific recycling operations |
| Take-back           | No                                       |

Technical Illustration

Dimensions

---

