


Product data sheet

Specifications



Plain mounting plate H150xW150mm made of galvanised sheet steel

NSYMM11SB

**Product availability: Non-Stock - Not normally stocked in
distribution facility**

Main

Range	PanelSeT
Accessory / separate part category	Mounting accessory
Product or Component Type	Mounting plate
Device Application	Multi-purpose
Enclosure nominal dimensions	-
Mounting Location	Bottom of enclosure
Mounting plate description	Plain
Range compatibility	PanelSeT SBM
Device composition	1 mounting plate
Material	galvanised steel
Surface Finish	Metallic

Complementary

Fixing mode	By 2 screws Ø5 mm self-tapping screws - bottom of enclosure
Permanent permissible load	2.480 lb(US) (1.125 kg) back of the enclosure
Height	Nominal: 4.9 in (125 mm)
Width	Nominal: 5.3 in (135 mm) Fixing centers: 4.5 in (114 mm)
Surface and useful surface	Nominal 34.9 in² (22500 mm²)
thickness	0.06 in (1.5 mm)
Product Weight	0.392 lb(US) (0.178 kg)

Ordering and shipping details

Category	US10ES180033
Discount Schedule	0ES1
GTIN	3606480520501
Returnability	No
Country of origin	IN

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 1 Height	0.118 in (0.300 cm)
Package 1 Width	5.039 in (12.800 cm)
Package 1 Length	5.512 in (14.000 cm)
Package weight(Lbs)	6.279 oz (178.000 g)
Unit Type of Package 2	CAR
Number of Units in Package 2	25
Package 2 Height	4.134 in (10.500 cm)
Package 2 Width	6.024 in (15.300 cm)
Package 2 Length	6.024 in (15.300 cm)
Package 2 Weight	9.983 lb(US) (4.528 kg)
Unit Type of Package 3	PAM
Number of Units in Package 3	1200
Package 3 Height	17.717 in (45.000 cm)
Package 3 Width	39.370 in (100.000 cm)
Package 3 Length	47.244 in (120.000 cm)
Package 3 Weight	542.338 lb(US) (246.000 kg)

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Total lifecycle Carbon footprint	2 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	1 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	0.4 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	0 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	0.5 kg CO2 eq.
Environmental Disclosure	Product Environmental Profile

Use Better



Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant
REACH Regulation	Free of Substances of Very High Concern above the threshold

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

Recyclability potential, in %	98
Circularity Profile	No need of specific recycling operations
Take-back	No

Technical Illustration

Dimensions

