

# Product data sheet

Specifications



Plain mounting plate  
H200xW600mm made of galvanised  
sheet steel

NSYMM26SB

Product availability: Non-Stock - Not normally stocked in  
distribution facility

## Main

|                                    |                     |
|------------------------------------|---------------------|
| Range                              | PanelSeT            |
| Accessory / separate part category | Mounting accessory  |
| Product or Component Type          | Mounting plate      |
| Device Application                 | Multi-purpose       |
| Enclosure nominal dimensions       | -                   |
| Mounting Location                  | Bottom of enclosure |
| Mounting plate description         | Plain               |
| Range compatibility                | PanelSeT SBM        |
| Device composition                 | 1 mounting plate    |
| Material                           | galvanised steel    |
| Surface Finish                     | Metallic            |

## Complementary

|                            |                                                                |
|----------------------------|----------------------------------------------------------------|
| Fixing mode                | By 2 screws Ø5 mm self-tapping screws - bottom of enclosure    |
| Permanent permissible load | 13.2 lb(US) (6 kg) back of the enclosure                       |
| Height                     | Nominal: 6.9 in (175 mm)                                       |
| Width                      | Nominal: 23.03 in (585 mm)<br>Fixing centers: 22.2 in (564 mm) |
| Surface and useful surface | Nominal 186.002 in² (120000 mm²)                               |
| thickness                  | 0.08 in (2 mm)                                                 |
| Product Weight             | 3.479 lb(US) (1.578 kg)                                        |

## Ordering and shipping details

|                   |               |
|-------------------|---------------|
| Category          | US10ES180033  |
| Discount Schedule | 0ES1          |
| GTIN              | 3606480520587 |
| Returnability     | No            |
| Country of origin | IN            |

## Packing Units

|                        |     |
|------------------------|-----|
| Unit Type of Package 1 | PCE |
| Nbr. of units in pkg.  | 1   |

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

|                              |                              |
|------------------------------|------------------------------|
| Package 1 Height             | 23.031 in (58.500 cm)        |
| Package 1 Width              | 7.087 in (18.000 cm)         |
| Package 1 Length             | 0.118 in (0.300 cm)          |
| Package weight(Lbs)          | 3.479 lb(US) (1.578 kg)      |
| Unit Type of Package 2       | PAM                          |
| Number of Units in Package 2 | 300                          |
| Package 2 Height             | 17.717 in (45.000 cm)        |
| Package 2 Width              | 39.370 in (100.000 cm)       |
| Package 2 Length             | 47.244 in (120.000 cm)       |
| Package 2 Weight             | 1071.447 lb(US) (486.000 kg) |

## Contractual warranty

|                      |    |
|----------------------|----|
| Warranty (in months) | 18 |
|----------------------|----|



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



### Environmental footprint

|                                                        |                                               |
|--------------------------------------------------------|-----------------------------------------------|
| Total lifecycle Carbon footprint                       | 16 kg CO2 eq.                                 |
| Carbon footprint of the manufacturing phase [A1 to A3] | 8 kg CO2 eq.                                  |
| Carbon footprint of the distribution phase [A4]        | 3 kg CO2 eq.                                  |
| Carbon footprint of the installation phase [A5]        | 0.1 kg CO2 eq.                                |
| Carbon footprint of the use phase [B2, B3, B4, B6]     | 0 kg CO2 eq.                                  |
| Carbon footprint of the end-of-life phase [C1 to C4]   | 4 kg CO2 eq.                                  |
| Environmental Disclosure                               | <a href="#">Product Environmental Profile</a> |

## Use Better



### Materials and Substances

|                                        |                                                                             |
|----------------------------------------|-----------------------------------------------------------------------------|
| Packaging made with recycled cardboard | No                                                                          |
| Packaging without single use plastic   | No                                                                          |
| EU RoHS Directive                      | <a href="#">Compliant</a>                                                   |
| REACH Regulation                       | <a href="#">Free of Substances of Very High Concern above the threshold</a> |

## Use Longer



### Lifetime extension

|        |    |
|--------|----|
| Repair | No |
|--------|----|

## Use Again



### Repack and remanufacture

|                               |                                          |
|-------------------------------|------------------------------------------|
| Recyclability potential, in % | 98                                       |
| Circularity Profile           | No need of specific recycling operations |
| Take-back                     | No                                       |

Technical Illustration

Dimensions

---

