


# Product data sheet

Specifications



Insulating mounting plate for enclosure H400xW300mm made of polyester

NSYMPP43

Product availability: Stock - Normally stocked in distribution facility

## Main

|                                    |                                              |
|------------------------------------|----------------------------------------------|
| Range                              | PanelSeT                                     |
| Accessory / separate part category | Mounting accessory                           |
| Product or Component Type          | Mounting plate                               |
| Device Application                 | Multi-purpose                                |
| Enclosure nominal dimensions       | -                                            |
| Mounting Location                  | Direct fixing on backstuds<br>Step slide     |
| Mounting plate description         | Plain                                        |
| Range compatibility                | PanelSeT S3D<br>PanelSeT CRN<br>PanelSeT PLM |
| Quantity per Set                   | Set of 1                                     |
| Material                           | fibreglass reinforced polyester              |
| color                              | Gray RAL 7035)                               |

## Complementary

|                            |                                                                            |
|----------------------------|----------------------------------------------------------------------------|
| Fixing mode                | Screwed on backstuds M8<br>By fixing element                               |
| Permanent permissible load | 66.1 lb(US) (30 kg)                                                        |
| Height                     | Nominal: 12.8 in (325 mm)<br>Enclosure nominal dimension: 15.7 in (400 mm) |
| Width                      | Nominal: 9.8 in (250 mm)<br>Enclosure nominal dimension: 11.8 in (300 mm)  |
| thickness                  | 0.2 in (4 mm)                                                              |
| Product Weight             | 15.4 lb(US) (7 kg)                                                         |

## Ordering and shipping details

|                   |               |
|-------------------|---------------|
| Category          | US10ES180036  |
| Discount Schedule | 0ES1          |
| GTIN              | 3606480183485 |
| Returnability     | Yes           |
| Country of origin | ES            |

## Packing Units

|                        |     |
|------------------------|-----|
| Unit Type of Package 1 | PCE |
|------------------------|-----|

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

|                       |                       |
|-----------------------|-----------------------|
| Nbr. of units in pkg. | 1                     |
| Package 1 Height      | 0.197 in (0.500 cm)   |
| Package 1 Width       | 10.039 in (25.500 cm) |
| Package 1 Length      | 14.370 in (36.500 cm) |
| Package weight(Lbs)   | 23.492 oz (666.000 g) |

## Contractual warranty

|                      |    |
|----------------------|----|
| Warranty (in months) | 18 |
|----------------------|----|



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



### Environmental footprint

Environmental Disclosure

[Product Environmental Profile](#)

## Use Better



### Materials and Substances

Packaging made with recycled cardboard

No

Packaging without single use plastic

No

EU RoHS Directive

[Compliant](#)

REACH Regulation

[Free of Substances of Very High Concern above the threshold](#)

## Use Longer



### Lifetime extension

Repair

No

## Use Again



### Repack and remanufacture

Circularity Profile

No need of specific recycling operations

Take-back

No