


Product data sheet

Specifications



Monobloc perforated plates H600xW400mm with universal perforations 11x26mm

NSYMR64

**Product availability: Non-Stock - Not normally stocked in
distribution facility**

Main

Range	PanelSeT
Accessory / separate part category	Mounting accessory
Product or Component Type	Mounting plate
Device Application	Multi-purpose
Enclosure nominal dimensions	- H: 23.6 in (600 mm) W: 15.7 in (400 mm)
Mounting Location	Direct fixing on backstuds Step slide
Mounting plate description	Telequick perforated
Range compatibility	PanelSeT S3D PanelSeT CRN PanelSeT PLM
Quantity per Set	Set of 1
Material	steel
Surface Finish	Zinc coated

Complementary

Fixing mode	Screwed on backstuds M8 By fixing element
Height	21.9 in (555 mm)
Width	13.8 in (351 mm)
Depth	0.6 in (15 mm)
thickness	0.08 in (2 mm)
Product Weight	3.267 lb(US) (1.482 kg)
Number of slots	418
Variant particularity	Installation in rear of enclosure
Cut-out dimensions	11 x 26 mm

Ordering and shipping details

Category	US10ES180036
Discount Schedule	0ES1
GTIN	3606480183706
Returnability	No
Country of origin	IN

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	0.591 in (1.500 cm)
Package 1 Width	13.780 in (35.000 cm)
Package 1 Length	21.850 in (55.500 cm)
Package weight(Lbs)	3.466 lb(US) (1.572 kg)
Unit Type of Package 2	PAL
Number of Units in Package 2	268
Package 2 Height	36.614 in (93.000 cm)
Package 2 Width	47.244 in (120.000 cm)
Package 2 Length	39.764 in (101.000 cm)
Package 2 Weight	1003.104 lb(US) (455.000 kg)

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Environmental Disclosure

[Product Environmental Profile](#)

Use Better



Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant
REACH Regulation	Free of Substances of Very High Concern above the threshold
PVC free	Yes
Silicon free	Yes

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

Circularity Profile	No need of specific recycling operations
Take-back	No

Technical Illustration

Dimensions

