Product data sheet

Specifications



internal door for PLA enclosure H750xW500 mm

NSYPAPLA75G

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

Range	PanelSeT
Accessory / separate part category	Enclosure accessory
Product or Component Type	Door
Application	Multi-purpose
For enclosure nominal dimensions	-
Mounting Location	Front side
Range compatibility	PanelSeT PLM
Device composition	1 door fixing elements M8 brass inserts

Complementary

Material	aluminium
color	Gray RAL 7035)
Lock type	Lock 5 mm double bar
Number of locks	2
Door type	Internal plain
Door opening side	Left 110 °)
Height	25.5 in (648 mm)
Width	15.7 in (398 mm)
Depth	Available depth between enclosure door : 1.2 in (30 mm)

Ordering and shipping details

Category	US10ES180034
Discount Schedule	0ES1
GTIN	3606480774317
Returnability	No
Country of origin	FR

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	1.575 in (4.000 cm)

Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 1 Width	16.339 in (41.500 cm)
Package 1 Length	26.181 in (66.500 cm)
Package weight(Lbs)	5.944 lb(US) (2.696 kg)
Unit Type of Package 2	PAL
Number of Units in Package 2	10
Package 2 Height	11.417 in (29.000 cm)
Package 2 Width	17.717 in (45.000 cm)
Package 2 Length	47.244 in (120.000 cm)
Package 2 Weight	59.437 lb(US) (26.960 kg)

Contractual warranty

Warranty (in months)	18

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained

How we assess product sustainability

Environmental footprint

Environmental Disclosure	Product Environmental Profile

Use Better

Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
SCIP Number	B8d0fb33-5e43-4121-80bd-e0d068ed5eda
EU RoHS Directive	Compliant By Exemption
REACh Regulation	Reference contains Substances of Very High Concern above the threshold
California proposition 65	WARNING: This product can expose you to chemicals including: Lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Use Longer

Lifetime extension

Repair	No

Use Again

Repack and remanufacture

Circularity Profile	No need of specific recycling operations
Take-back	No