

Product data sheet

Specifications



set of 4 polyamid wall mounting lugs for PLM3025 to 108

NSYPFPLMG

Product availability: Stock - Normally stocked in distribution facility

Main

Range	PanelSeT
Accessory / separate part category	Fixing accessory
Product or Component Type	Wall fixing support
Device Application	Multi-purpose
Enclosure nominal dimensions	-
Mounting Location	Top and bottom, on rear of the enclosure
Range compatibility	PanelSeT PLM
Device composition	fixing screws 4 lug

Complementary

Material	polyamide 6 with 30 % fibre glass
color	Gray RAL 7035)
Fixing mode	Screwed - from the outside
Permanent permissible load	220.5 lb(US) (100 kg) horizontal position 440.9 lb(US) (200 kg) vertical position
Height	12.1 in (308 mm) 16.9 in (430 mm) 20.9 in (530 mm) 25.5 in (647 mm) 29.4 in (747 mm) 33.3 in (847 mm) 41.6 in (1056 mm)
Width	10.04 in (255 mm) 13.0 in (330 mm) 16.9 in (430 mm) 17.2 in (436 mm) 21.1 in (536 mm) 25.04 in (636 mm) 33.5 in (852 mm)

Ordering and shipping details

Category	US10ES180034
Discount Schedule	0ES1
GTIN	3606480774331
Returnability	Yes
Country of origin	ES

Packing Units

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	1.181 in (3.000 cm)
Package 1 Width	3.937 in (10.000 cm)
Package 1 Length	4.724 in (12.000 cm)
Package weight(Lbs)	7.972 oz (226.000 g)
Unit Type of Package 2	CAR
Number of Units in Package 2	75
Package 2 Height	14.173 in (36.000 cm)
Package 2 Width	12.205 in (31.000 cm)
Package 2 Length	20.472 in (52.000 cm)
Package 2 Weight	37.479 lb(US) (17.000 kg)
Unit Type of Package 3	P12
Number of Units in Package 3	900
Package 3 Height	33.465 in (85.000 cm)
Package 3 Width	31.496 in (80.000 cm)
Package 3 Length	47.244 in (120.000 cm)
Package 3 Weight	485.017 lb(US) (220.000 kg)

Contractual warranty

Warranty (in months)	18
----------------------	----

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint	
Environmental Disclosure	Product Environmental Profile

Use Better

Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
SCIP Number	2afadc3c-d04d-4184-9d1f-3abc2fc1a548
EU RoHS Directive	Compliant By Exemption
REACH Regulation	Reference contains Substances of Very High Concern above the threshold
PVC free	Yes
Silicon free	Yes

Use Longer

Lifetime extension	
Repair	No

Use Again

Repack and remanufacture	
Circularity Profile	No need of specific recycling operations
Take-back	No

Image of product / Alternate images

Alternative



