

Product data sheet

Specifications



Telequick mounting plate for PLA enclosure H1500xW500mm

NSYPMR155

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

Range	PanelSeT
Accessory / separate part category	Mounting accessory
Product or Component Type	Mounting plate
Device Application	Multi-purpose
Enclosure nominal dimensions	-
Mounting Location	Step slide Back inserts
Mounting plate description	Telequick perforated
Range compatibility	PanelSeT PLA PanelSeT PHD
Device composition	1 mounting plate
Material	galvanised steel

Complementary

Fixing mode	By screws M8 - on back inserts
Permanent permissible load	330.7 lb(US) (150 kg)
Height	Nominal: 59.06 in (1500 mm) Real: 53.9 in (1370 mm)
Width	Nominal: 19.7 in (500 mm) Real: 14.8 in (376 mm)
Depth	Real : 0.6 in (15 mm)
Cut-out dimensions	11 x 26 mm

Ordering and shipping details

Category	US10ES180036
Discount Schedule	0ES1
GTIN	3606480194351
Returnability	No
Country of origin	FR

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	0.591 in (1.500 cm)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 1 Width	14.764 in (37.500 cm)
Package 1 Length	53.937 in (137.000 cm)
Package weight(Lbs)	8.510 lb(US) (3.860 kg)
Unit Type of Package 2	P2M
Number of Units in Package 2	144
Package 2 Height	33.465 in (85.000 cm)
Package 2 Width	78.740 in (200.000 cm)
Package 2 Length	47.244 in (120.000 cm)
Package 2 Weight	1419.778 lb(US) (644.000 kg)

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Environmental Disclosure

[Product Environmental Profile](#)

Use Better



Materials and Substances

Packaging made with recycled cardboard

No

Packaging without single use plastic

No

EU RoHS Directive

[Compliant](#)

REACH Regulation

[Free of Substances of Very High Concern above the threshold](#)

Use Longer



Lifetime extension

Repair

No

Use Again



Repack and remanufacture

Circularity Profile

No need of specific recycling operations

Take-back

No