

Product data sheet

Specifications



adaptor plates for vers.PLAZorZT
D420mm 1 door mounting
NSYPAPL/DPLA/DLP/BRF/BRP

NSYPTZ4

Product availability: Non-Stock - Not normally stocked in
distribution facility

Main

category	Mounting accessory
Product or Component Type	Adapter plate
Range compatibility	PanelSeT PLA PanelSeT PHD
Application	Multi-purpose
Nominal dimensions of the housing	- D: 16.5 in (420 mm)
Mounting Location	Enclosure bottom
Device composition	2 plate fixing elements
Material	galvanised steel

Complementary

Fixing mode	Screw and insert M8 - bottom of enclosure
Height	3.1 in (80 mm)
Width	0.6 in (15 mm)
Depth	Real : 16.5 in (420 mm)

Ordering and shipping details

Category	US10ES180036
Discount Schedule	0ES1
GTIN	3606480194405
Returnability	No
Country of origin	ES

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	0.787 in (2.000 cm)
Package 1 Width	2.953 in (7.500 cm)
Package 1 Length	11.614 in (29.500 cm)
Package weight(Lbs)	30.899 oz (876.000 g)

Contractual warranty

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Environmental Disclosure

[Product Environmental Profile](#)

Use Better



Materials and Substances

Packaging made with recycled cardboard

No

Packaging without single use plastic

No

EU RoHS Directive

[Compliant](#)

REACH Regulation

[Free of Substances of Very High Concern above the threshold](#)

Use Longer



Lifetime extension

Repair

No

Use Again



Repack and remanufacture

Circularity Profile

No need of specific recycling operations

Take-back

No