

Product data sheet

Specifications



Spacial SF/SM 19" fixed rack - 2000 mm

NSYRCK42

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

Range	PanelSeT
Accessory / separate part category	Mounting accessory
Product or Component Type	19" rack
Application	Electronic application
For enclosure nominal dimensions	- H: 78.7 in (2000 mm)
Rack type	Fixed
Mounting Location	On structure of enclosure
Mounting Support	19" fixed support bracket
Range compatibility	PanelSeT PanelSeT SF 5G PanelSeT PanelSeT SF PanelSeT PanelSeT SM
Device composition	fixing elements 2 upright
Quantity per Set	Set of 1
Number of units 19"	42

Complementary

Rack coverage	Complete
Material	steel
Enclosure/cubicle description	Floor-standing enclosure
Surface Finish	Zinc coated
Fixing Mode	By fixing element
Adjustment	Adjustable in depth every 25 mm
Permanent permissible load	881.8 lb(US) (400 kg)
Height	78.7 in (2000 mm)
Width	Nominal: 23.6 in (600 mm) Nominal: 31.5 in (800 mm)
Depth	1.8 in (45 mm)

Ordering and shipping details

Category	US10ES180036
Discount Schedule	0ES1
GTIN	3606480066887
Returnability	No

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Country of origin	FR
-------------------	----

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	2.362 in (6.000 cm)
Package 1 Width	4.528 in (11.500 cm)
Package 1 Length	74.803 in (190.000 cm)
Package weight(Lbs)	12.064 lb(US) (5.472 kg)
Unit Type of Package 2	P2M
Number of Units in Package 2	40
Package 2 Height	14.173 in (36.000 cm)
Package 2 Width	47.244 in (120.000 cm)
Package 2 Length	78.740 in (200.000 cm)
Package 2 Weight	553.361 lb(US) (251.000 kg)

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Total lifecycle Carbon footprint	39 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	24 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	1 kg CO2 eq.
Carbon footprint of the installation phase [A5]	1 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	0 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	13 kg CO2 eq.
Environmental Disclosure	Product Environmental Profile

Use Better



Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
SCIP Number	52da316e-d4e1-4114-85c0-32a03b2934fd
EU RoHS Directive	Compliant
REACH Regulation	Free of Substances of Very High Concern above the threshold

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again




Repack and remanufacture

Recyclability potential, in %	98
Circularity Profile	No need of specific recycling operations
Take-back	No


Technical Illustration

Dimensions



Technical Illustration

Exploded view



Technical Illustration

Exploded view




Image of product / Alternate images

Alternative

