


# Product data sheet

Specifications



set of 4 PanelSeT SF support  
brackets for 19" fixed rack - 400kg  
load - 600 mm

NSYRCKS6

Product availability: Non-Stock - Not normally stocked in  
distribution facility

## Main

|                                    |                              |
|------------------------------------|------------------------------|
| Range                              | PanelSeT                     |
| Accessory / separate part category | Enclosure accessory          |
| Product or Component Type          | Support bracket              |
| Application                        | Electronic application       |
| For enclosure nominal dimensions   | -                            |
| Mounting support                   | 19" fixed rack               |
| Range compatibility                | PanelSeT PanelSeT SF-E       |
| Device composition                 | fixing elements<br>4 support |
| Quantity per Set                   | Set of 1                     |

## Complementary

|                            |                            |
|----------------------------|----------------------------|
| Material                   | steel                      |
| Surface Finish             | Zinc coated                |
| Fixing mode                | By fixing element          |
| Permanent permissible load | 881.8 lb(US) (400 kg)      |
| Height                     | 2.0 in (50 mm)             |
| Depth                      | Nominal : 23.6 in (600 mm) |

## Ordering and shipping details

|                   |               |
|-------------------|---------------|
| Category          | US10ES180036  |
| Discount Schedule | 0ES1          |
| GTIN              | 3606480066962 |
| Returnability     | No            |
| Country of origin | ES            |

## Packing Units

|                        |                       |
|------------------------|-----------------------|
| Unit Type of Package 1 | PCE                   |
| Nbr. of units in pkg.  | 1                     |
| Package 1 Height       | 1.969 in (5.000 cm)   |
| Package 1 Width        | 2.362 in (6.000 cm)   |
| Package 1 Length       | 23.228 in (59.000 cm) |

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

|                              |                             |
|------------------------------|-----------------------------|
| Package weight(Lbs)          | 5.631 lb(US) (2.554 kg)     |
| Unit Type of Package 2       | PAM                         |
| Number of Units in Package 2 | 150                         |
| Package 2 Height             | 18.898 in (48.000 cm)       |
| Package 2 Width              | 39.370 in (100.000 cm)      |
| Package 2 Length             | 47.244 in (120.000 cm)      |
| Package 2 Weight             | 873.031 lb(US) (396.000 kg) |

## Contractual warranty

|                      |    |
|----------------------|----|
| Warranty (in months) | 18 |
|----------------------|----|



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



### Environmental footprint

|                                                        |                                               |
|--------------------------------------------------------|-----------------------------------------------|
| Total lifecycle Carbon footprint                       | 19 kg CO2 eq.                                 |
| Carbon footprint of the manufacturing phase [A1 to A3] | 12 kg CO2 eq.                                 |
| Carbon footprint of the distribution phase [A4]        | 0.5 kg CO2 eq.                                |
| Carbon footprint of the installation phase [A5]        | 0.6 kg CO2 eq.                                |
| Carbon footprint of the use phase [B2, B3, B4, B6]     | 0 kg CO2 eq.                                  |
| Carbon footprint of the end-of-life phase [C1 to C4]   | 6 kg CO2 eq.                                  |
| Environmental Disclosure                               | <a href="#">Product Environmental Profile</a> |

## Use Better



### Materials and Substances

|                                        |                                                                             |
|----------------------------------------|-----------------------------------------------------------------------------|
| Packaging made with recycled cardboard | No                                                                          |
| Packaging without single use plastic   | No                                                                          |
| SCIP Number                            | 52da316e-d4e1-4114-85c0-32a03b2934fd                                        |
| EU RoHS Directive                      | <a href="#">Compliant</a>                                                   |
| REACH Regulation                       | <a href="#">Free of Substances of Very High Concern above the threshold</a> |

## Use Longer



### Lifetime extension

|        |    |
|--------|----|
| Repair | No |
|--------|----|

## Use Again



### Repack and remanufacture

|                               |                                          |
|-------------------------------|------------------------------------------|
| Recyclability potential, in % | 98                                       |
| Circularity Profile           | No need of specific recycling operations |
| Take-back                     | No                                       |

Image of product / Alternate images

Alternative

---

