

Product data sheet

Specifications



Spacial SF 19" swing rack - 2200x800 mm - 45 modules

NSYRSW45

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

Range	PanelSeT
Accessory / separate part category	Mounting accessory
Product or Component Type	19" rack
Application	Electronic application
For enclosure nominal dimensions	- H: 86.6 in (2200 mm)
Rack type	Swing
Mounting Location	On structure of enclosure
Range compatibility	PanelSeT PanelSeT SF PanelSeT PanelSeT SM
Device composition	fixing elements 2 800 mm swing rack supports 1 hinged rack 1 side lid with handle
Quantity per Set	Set of 1
Number of units 19"	45

Complementary

Rack coverage	Complete
Rack position	Off-centered
Material	steel
Enclosure/cubicle description	Floor-standing enclosure
Surface Finish	Zinc coated
Lock type	Handle with ball lock
Fixing Mode	By fixing element
Adjustment	Adjustable in depth every 25 mm
color	Side plate Gray RAL 7035)
Permanent permissible load	8.27 lb(US) (3.75 kg) per unit with a maximum of 150 kg
Opening of the 19" racks	Reversible 120 °
Height	86.6 in (2200 mm)
Width	31.5 in (800 mm)
Depth	82.7 in (2101 mm)

Ordering and shipping details

Category	US10ES180036
----------	--------------

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Discount Schedule	0ES1
GTIN	3606480067303
Returnability	No
Country of origin	ES

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	4.331 in (11.000 cm)
Package 1 Width	28.740 in (73.000 cm)
Package 1 Length	82.677 in (210.000 cm)
Package weight(Lbs)	68.343 lb(US) (31.000 kg)
Unit Type of Package 2	PAL
Number of Units in Package 2	10
Package 2 Height	39.370 in (100.000 cm)
Package 2 Width	47.244 in (120.000 cm)
Package 2 Length	83.465 in (212.000 cm)
Package 2 Weight	705.480 lb(US) (320.000 kg)

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Environmental Disclosure

[Product Environmental Profile](#)

Use Better



Materials and Substances

Packaging made with recycled cardboard

No

Packaging without single use plastic

No

SCIP Number

E893f0a0-d2cc-4011-9425-3873dde70142

EU RoHS Directive

[Compliant By Exemption](#)

REACH Regulation

[Reference contains Substances of Very High Concern above the threshold](#)

Use Longer



Lifetime extension

Repair

No

Use Again



Repack and remanufacture

Circularity Profile


No need of specific recycling operations

Take-back

No

Technical Illustration

Dimensions



Technical Illustration

Exploded view




Image of product / Alternate images

Alternative

