

Product data sheet

Specifications



Spacial SF 19" swing rack - 2200x600 mm - 45 modules

NSYRSW645

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

Range	PanelSeT
Accessory / separate part category	Mounting accessory
Product or Component Type	19" rack
Application	Electronic application
For enclosure nominal dimensions	-
Rack type	Swing
Mounting Location	On structure of enclosure
Mounting Support	19" swing rack support
Range compatibility	PanelSeT PanelSeT SF PanelSeT PanelSeT SM
Device composition	1 rack
Number of units 19"	45

Complementary

Rack coverage	Complete
Material	steel
Enclosure/cubicle description	Floor-standing enclosure
Surface Finish	Zinc coated
Lock type	Lock 5 mm double bar
Fixing Mode	By fixing element
Adjustment	Adjustable in depth every 25 mm
Permanent permissible load	6.6 lb(US) (3 kg) per unit
Opening of the 19" racks	Reversible 120 °
Height	86.6 in (2200 mm)
Width	23.6 in (600 mm)

Ordering and shipping details

Category	US10ES180036
Discount Schedule	0ES1
GTIN	3606480067297
Returnability	No
Country of origin	ES

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	3.937 in (10.000 cm)
Package 1 Width	20.276 in (51.500 cm)
Package 1 Length	81.496 in (207.000 cm)
Package weight(Lbs)	37.479 lb(US) (17.000 kg)
Unit Type of Package 2	PAL
Number of Units in Package 2	10
Package 2 Height	27.362 in (69.500 cm)
Package 2 Width	47.244 in (120.000 cm)
Package 2 Length	82.677 in (210.000 cm)
Package 2 Weight	445.334 lb(US) (202.000 kg)

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Environmental Disclosure

[Product Environmental Profile](#)

Use Better



Materials and Substances

Packaging made with recycled cardboard

No

Packaging without single use plastic

No

SCIP Number

E893f0a0-d2cc-4011-9425-3873dde70142

EU RoHS Directive

[Compliant By Exemption](#)

REACH Regulation

[Reference contains Substances of Very High Concern above the threshold](#)

Use Longer



Lifetime extension

Repair

No

Use Again



Repack and remanufacture

Circularity Profile


No need of specific recycling operations

Take-back

No

Technical Illustration

Dimensions



Technical Illustration

Exploded view




Image of product / Alternate images

Alternative

