# Product data sheet

Specifications

## Spacial SF/SM 19" swing rack - 2000x800 mm - 40 modules

NSYRSWC40

**Product availability: Non-Stock - Not normally stocked in distribution facility**

## Main

| | |
|---|---|
| **Range** | PanelSeT |
| **Accessory / separate part category** | Mounting accessory |
| **Product or Component Type** | 19" rack |
| **Application** | Electronic application |
| **For enclosure nominal dimensions** | - H: 78.7 in (2000 mm) |
| **Rack type** | Swing |
| **Mounting Location** | On structure of enclosure |
| **Range compatibility** | PanelSeT PanelSeT SF<br>PanelSeT PanelSeT SM |
| **Device composition** | fixing elements<br>2 800 mm swing rack supports<br>1 19" swing rack<br>2 side plates with ball-lock handle |
| **Quantity per Set** | Set of 1 |
| **Number of units 19"** | 40 |

## Complementary

| | |
|---|---|
| **Rack coverage** | Complete |
| **Rack position** | Centered |
| **Material** | steel |
| **Enclosure/cubicle description** | Floor-standing enclosure |
| **Surface Finish** | Zinc coated |
| **Lock type** | Handle with ball lock |
| **Fixing Mode** | By fixing element |
| **Adjustment** | Adjustable in depth every 25 mm |
| **color** | Side plate Gray RAL 7035) |
| **Permanent permissible load** | 8.27 lb(US) (3.75 kg) per unit with a maximum of 150 kg |
| **Opening of the 19" racks** | Reversible 120 ° |
| **Height** | 78.7 in (2000 mm) |
| **Width** | 31.5 in (800 mm) |
| **Depth** | 74.8 in (1901 mm) |

## Ordering and shipping details

| | |
|---|---|
| **Category** | US10ES180036 |

Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

| | |
|---|---|
| **Discount Schedule** | 0ES1 |
| **GTIN** | 3606480067136 |
| **Returnability** | No |
| **Country of origin** | ES |

## Packing Units

| | |
|---|---|
| **Unit Type of Package 1** | PCE |
| **Nbr. of units in pkg.** | 1 |
| **Package 1 Height** | 4.331 in (11.000 cm) |
| **Package 1 Width** | 28.740 in (73.000 cm) |
| **Package 1 Length** | 74.843 in (190.100 cm) |
| **Package weight(Lbs)** | 61.729 lb(US) (28.000 kg) |
| **Unit Type of Package 2** | PAL |
| **Number of Units in Package 2** | 12 |
| **Package 2 Height** | 36.024 in (91.500 cm) |
| **Package 2 Width** | 47.244 in (120.000 cm) |
| **Package 2 Length** | 82.677 in (210.000 cm) |
| **Package 2 Weight** | 740.754 lb(US) (336.000 kg) |

## Contractual warranty

| | |
|---|---|
| **Warranty (in months)** | 18 |

## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained

How we assess product sustainability

### Environmental footprint

| | |
|---|---|
| Total lifecycle Carbon footprint | **206 kg CO2 eq.** |
| Carbon footprint of the manufacturing phase [A1 to A3] | **126 kg CO2 eq.** |
| Carbon footprint of the distribution phase [A4] | **6 kg CO2 eq.** |
| Carbon footprint of the installation phase [A5] | **6 kg CO2 eq.** |
| Carbon footprint of the use phase [B2, B3, B4, B6] | **0 kg CO2 eq.** |
| Carbon footprint of the end-of-life phase [C1 to C4] | **68 kg CO2 eq.** |
| Environmental Disclosure | **Product Environmental Profile** |

## Use Better

### Materials and Substances

| | |
|---|---|
| Packaging made with recycled cardboard | **No** |
| Packaging without single use plastic | **No** |
| SCIP Number | **E893f0a0-d2cc-4011-9425-3873dde70142** |
| EU RoHS Directive | **Compliant By Exemption** |
| REACh Regulation | **Reference contains Substances of Very High Concern above the threshold** |

## Use Longer

### Lifetime extension

| | |
|---|---|
| Repair | **No** |

## Use Again

### Repack and remanufacture

| | |
|---|---|
| Recyclability potential, in % | **98** |
| Circularity Profile | **No need of specific recycling operations** |
| Take-back | **No** |

Technical Illustration

**Dimensions**

Technical Illustration

**Exploded view**



Image of product / Alternate images

**Alternative**