

# Product data sheet

Specifications



## PanelSeT S3DM H1000xW600xD150.IP66 IK10 RAL7035. top and bottom

NSYS3DM10615T

**Product availability: Non-Stock - Not normally stocked in distribution facility**

### Main

|                             |                                                                  |
|-----------------------------|------------------------------------------------------------------|
| Range                       | PanelSeT                                                         |
| Product name                | PanelSeT S3DM                                                    |
| Application                 | Modular distribution application                                 |
| Category                    | Compact enclosure                                                |
| Enclosure nominal height    | 39.4 in (1000 mm)                                                |
| Enclosure nominal width     | 23.6 in (600 mm)                                                 |
| Enclosure nominal depth     | 5.9 in (150 mm)                                                  |
| Door type                   | Glass                                                            |
| Mounting plate description  | Without mounting plate                                           |
| Type of gland plate         | Standard                                                         |
| Installation accessory type | Wall-mounting                                                    |
| Product destination         | For installation of modular chassis DLM                          |
| Device composition          | 2 cable gland plate top and bottom<br>1 body<br>1 door<br>1 lock |

### Complementary

|                             |                                                                      |
|-----------------------------|----------------------------------------------------------------------|
| body type                   | Gutter-shaped front rail double sheet thickness<br>Single piece body |
| Number of doors             | Front face 1                                                         |
| Door opening side           | Reversible 120 °)                                                    |
| Lock type                   | 3 points lock, 3 mm double-bar                                       |
| Accessibility for operation | Front                                                                |
| Removable parts             | Door by hinges<br>Cable gland plate by screws                        |
| Material                    | Body steel<br>Door steel and security glass                          |
| Surface finish              | epoxy-polyester powder                                               |
| color                       | Gray RAL 7035)                                                       |
| Standards                   | IEC 62208                                                            |
| Product Certifications      | DNV<br>cUL<br>BV<br>UL<br>GL                                         |

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

## Environment

|                         |                |
|-------------------------|----------------|
| IK degree of protection | IK08 IEC 62262 |
| IP degree of protection | IP66 IEC 60529 |

## Ordering and shipping details

|                   |               |
|-------------------|---------------|
| Category          | US10ES180034  |
| Discount Schedule | 0ES1          |
| GTIN              | 3606480158582 |
| Returnability     | No            |
| Country of origin | FR            |

## Packing Units

|                              |                             |
|------------------------------|-----------------------------|
| Unit Type of Package 1       | PCE                         |
| Nbr. of units in pkg.        | 1                           |
| Package 1 Height             | 7.874 in (20.000 cm)        |
| Package 1 Width              | 24.213 in (61.500 cm)       |
| Package 1 Length             | 40.748 in (103.500 cm)      |
| Package weight(Lbs)          | 52.470 lb(US) (23.800 kg)   |
| Unit Type of Package 2       | PAM                         |
| Number of Units in Package 2 | 8                           |
| Package 2 Height             | 55.118 in (140.000 cm)      |
| Package 2 Width              | 39.370 in (100.000 cm)      |
| Package 2 Length             | 47.244 in (120.000 cm)      |
| Package 2 Weight             | 458.562 lb(US) (208.000 kg) |

## Contractual warranty

|                      |    |
|----------------------|----|
| Warranty (in months) | 18 |
|----------------------|----|



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



### Environmental footprint

|                                                        |                                               |
|--------------------------------------------------------|-----------------------------------------------|
| Total lifecycle Carbon footprint                       | 224 kg CO2 eq.                                |
| Carbon footprint of the manufacturing phase [A1 to A3] | 116 kg CO2 eq.                                |
| Carbon footprint of the distribution phase [A4]        | 47 kg CO2 eq.                                 |
| Carbon footprint of the installation phase [A5]        | 5 kg CO2 eq.                                  |
| Carbon footprint of the use phase [B2, B3, B4, B6]     | 0 kg CO2 eq.                                  |
| Carbon footprint of the end-of-life phase [C1 to C4]   | 56 kg CO2 eq.                                 |
| Environmental Disclosure                               | <a href="#">Product Environmental Profile</a> |

## Use Better



### Materials and Substances

|                                        |                                                                                                                                                                                                                                                                                                   |
|----------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Packaging made with recycled cardboard | No                                                                                                                                                                                                                                                                                                |
| Packaging without single use plastic   | No                                                                                                                                                                                                                                                                                                |
| SCIP Number                            | E893f0a0-d2cc-4011-9425-3873dde70142                                                                                                                                                                                                                                                              |
| EU RoHS Directive                      | <a href="#">Compliant</a>                                                                                                                                                                                                                                                                         |
| REACH Regulation                       | <a href="#">Free of Substances of Very High Concern above the threshold</a>                                                                                                                                                                                                                       |
| California proposition 65              | WARNING: This product can expose you to chemicals including: Cadmium and cadmium compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a> |

## Use Longer



### Lifetime extension

|        |    |
|--------|----|
| Repair | No |
|--------|----|

## Use Again



### Repack and remanufacture

|                               |                                          |
|-------------------------------|------------------------------------------|
| Recyclability potential, in % | 98                                       |
| Circularity Profile           | No need of specific recycling operations |
| Take-back                     | No                                       |