

Product data sheet

Specifications



Spacial SF/SM flat escutcheon lock - lock 5 mm double bar

NSYSFLOCKDB5

⚠ **Discontinued on:** Sep 30, 2024

Product availability: Non-Stock - Not normally stocked in distribution facility

⚠ **To be discontinued**

Main

Range	PanelSeT
Product or Component Type	Escutcheon

Complementary

Accessory / separate part category	Locking accessory
Accessory / Separate Part Type	Flat escutcheon lock
Device Application	Multi-purpose
Mounting Support	Direct mounting on door
Range compatibility	PanelSeT SM PanelSeT SF
Device composition	1 shape insert 1 flat lock fixing elements key
Quantity per Set	Set of 1
Material	polyamide 6 with 30 % fibre glass
Lock type	Lock 5 mm double bar

Ordering and shipping details

Category	US10ES180036
Discount Schedule	0ES1
GTIN	3606480067679
Returnability	No
Country of origin	DE

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	7.087 in (18.000 cm)
Package 1 Width	6.890 in (17.500 cm)
Package 1 Length	1.181 in (3.000 cm)
Package weight(Lbs)	7.196 oz (204.000 g)
Unit Type of Package 2	CAR

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Number of Units in Package 2	50
Package 2 Height	14.370 in (36.500 cm)
Package 2 Width	11.220 in (28.500 cm)
Package 2 Length	5.906 in (15.000 cm)
Package 2 Weight	23.457 lb(US) (10.640 kg)

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Total lifecycle Carbon footprint	1 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	0.9 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	0 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	0 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	0.5 kg CO2 eq.
Environmental Disclosure	Product Environmental Profile

Use Better



Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
SCIP Number	52da316e-d4e1-4114-85c0-32a03b2934fd
EU RoHS Directive	Compliant By Exemption
REACH Regulation	Reference contains Substances of Very High Concern above the threshold

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

Recyclability potential, in %	98
Circularity Profile	No need of specific recycling operations
Take-back	No