

Product data sheet

Specifications



Post fixing device galvanvanized steel
post diam. max 215mm load 100kg
for PLM75

NSYSFP500

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

Range	PanelSeT
Accessory / separate part category	Fixing accessory
Product or Component Type	Post fixing device
Device Application	Multi-purpose
Enclosure nominal dimensions	- H: 29.4 in (747 mm) W: 21.1 in (536 mm) D: 11.8 in (300 mm)
Mounting Location	Rear of enclosure Outdoor installations on a post
Range compatibility	PanelSeT PLM
Device composition	fixing elements 2 support rail 2 strip

Complementary

Material	galvanised steel
Fixing mode	By fixing element - on a post
Permanent permissible load	220.5 lb(US) (100 kg)
Height	1.8 in (45 mm)
Width	19.5 in (495 mm)
Depth	1.3 in (32.5 mm)
Diameter	8.5 in (215 mm)

Ordering and shipping details

Category	US10ES180036
Discount Schedule	0ES1
GTIN	3606480192524
Returnability	No
Country of origin	ES

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	1.969 in (5.000 cm)
Package 1 Width	7.874 in (20.000 cm)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 1 Length	20.079 in (51.000 cm)
Package weight(Lbs)	5.661 lb(US) (2.568 kg)
Unit Type of Package 2	CAR
Number of Units in Package 2	5
Package 2 Height	10.236 in (26.000 cm)
Package 2 Width	15.748 in (40.000 cm)
Package 2 Length	19.685 in (50.000 cm)
Package 2 Weight	30.314 lb(US) (13.750 kg)
Unit Type of Package 3	P12
Number of Units in Package 3	75
Package 3 Height	43.307 in (110.000 cm)
Package 3 Width	31.496 in (80.000 cm)
Package 3 Length	47.244 in (120.000 cm)
Package 3 Weight	496.040 lb(US) (225.000 kg)

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Environmental Disclosure

[Product Environmental Profile](#)

Use Better



Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant
REACH Regulation	Free of Substances of Very High Concern above the threshold
PVC free	Yes
Silicon free	Yes

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

Circularity Profile	No need of specific recycling operations
Take-back	No

Image of product / Alternate images

Alternative

