


# Product data sheet

Specifications



Post fixing device WM PanelSeT,  
length 500. For post max 675. Max.  
Load:100kg.

NSYSFPSC50

**Product availability: Non-Stock - Not normally stocked in  
distribution facility**

## Main

|                                    |                                              |
|------------------------------------|----------------------------------------------|
| Range                              | PanelSeT                                     |
| Accessory / separate part category | Fixing accessory                             |
| Product or Component Type          | Post fixing device                           |
| Device Application                 | Multi-purpose                                |
| Enclosure nominal dimensions       | -                                            |
| Mounting Location                  | Rear of enclosure                            |
| Range compatibility                | PanelSeT S3D<br>PanelSeT SBM<br>PanelSeT CRN |
| Device composition                 | fixing elements<br>2 support rail<br>2 strip |
| Quantity per Set                   | Set of 1                                     |

## Complementary

|                            |                                                                                                                          |
|----------------------------|--------------------------------------------------------------------------------------------------------------------------|
| Material                   | galvanised steel                                                                                                         |
| Fixing mode                | By fixing element M8 - to the inserts in the rear of the enclosure<br>Minimum diameter 150 mm<br>Maximum diameter 215 mm |
| Permanent permissible load | 220.5 lb(US) (100 kg)                                                                                                    |
| Height                     | 1.8 in (45 mm)                                                                                                           |
| Width                      | 19.5 in (495 mm)                                                                                                         |
| Depth                      | 1.3 in (32.5 mm)                                                                                                         |
| Product Weight             | 5.706 lb(US) (2.588 kg)                                                                                                  |

## Ordering and shipping details

|                   |               |
|-------------------|---------------|
| Category          | US10ES180036  |
| Discount Schedule | 0ES1          |
| GTIN              | 3606480198922 |
| Returnability     | No            |
| Country of origin | ES            |

## Packing Units

|                        |     |
|------------------------|-----|
| Unit Type of Package 1 | PCE |
| Nbr. of units in pkg.  | 1   |

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

|                              |                              |
|------------------------------|------------------------------|
| Package 1 Height             | 1.378 in (3.500 cm)          |
| Package 1 Width              | 7.874 in (20.000 cm)         |
| Package 1 Length             | 20.079 in (51.000 cm)        |
| Package weight(Lbs)          | 5.706 lb(US) (2.588 kg)      |
| Unit Type of Package 2       | PAM                          |
| Number of Units in Package 2 | 200                          |
| Package 2 Height             | 47.244 in (120.000 cm)       |
| Package 2 Width              | 39.370 in (100.000 cm)       |
| Package 2 Length             | 47.244 in (120.000 cm)       |
| Package 2 Weight             | 1146.405 lb(US) (520.000 kg) |

## Contractual warranty

|                      |    |
|----------------------|----|
| Warranty (in months) | 18 |
|----------------------|----|



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



### Environmental footprint

Environmental Disclosure

[Product Environmental Profile](#)

### Use Better



#### Materials and Substances

Packaging made with recycled cardboard

No

Packaging without single use plastic

No

EU RoHS Directive

[Compliant](#)

REACH Regulation

[Free of Substances of Very High Concern above the threshold](#)

### Use Longer



#### Lifetime extension

Repair

No

### Use Again



#### Repack and remanufacture

Circularity Profile

No need of specific recycling operations

Take-back

No