


Product data sheet

Specifications



Post fixing device WM PanelSeT,
length 800. For post max 675. Max.
Load:100kg.

NSYSFPSC80

**Product availability: Non-Stock - Not normally stocked in
distribution facility**

Main

Range	PanelSeT
Accessory / separate part category	Fixing accessory
Product or Component Type	Post fixing device
Device Application	Multi-purpose
Enclosure nominal dimensions	-
Mounting Location	Rear of enclosure
Range compatibility	PanelSeT S3D PanelSeT SBM PanelSeT CRN
Device composition	fixing elements 2 support rail 2 strip
Quantity per Set	Set of 1

Complementary

Material	galvanised steel
Fixing mode	By fixing element M8 - to the inserts in the rear of the enclosure Minimum diameter 150 mm Maximum diameter 215 mm
Permanent permissible load	220.5 lb(US) (100 kg)
Height	1.8 in (45 mm)
Width	31.3 in (795 mm)
Depth	1.3 in (32.5 mm)
Product Weight	8.8 lb(US) (4 kg)

Ordering and shipping details

Category	US10ES180036
Discount Schedule	0ES1
GTIN	3606480198908
Returnability	No
Country of origin	ES

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 1 Height	1.969 in (5.000 cm)
Package 1 Width	5.906 in (15.000 cm)
Package 1 Length	31.496 in (80.000 cm)
Package weight(Lbs)	8.893 lb(US) (4.034 kg)
Unit Type of Package 2	PAL
Number of Units in Package 2	10
Package 2 Height	11.417 in (29.000 cm)
Package 2 Width	14.764 in (37.500 cm)
Package 2 Length	47.244 in (120.000 cm)
Package 2 Weight	88.935 lb(US) (40.340 kg)

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Environmental Disclosure

[Product Environmental Profile](#)

Use Better



Materials and Substances

Packaging made with recycled cardboard

No

Packaging without single use plastic

No

EU RoHS Directive

[Compliant](#)

REACH Regulation

[Free of Substances of Very High Concern above the threshold](#)

Use Longer



Lifetime extension

Repair

No

Use Again



Repack and remanufacture

Circularity Profile

No need of specific recycling operations

Take-back

No