Product data sheet

Specifications



PanelSeT SM vertical adaptation profiles - 1400 mm

NSYSMVR14

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

Range	PanelSeT
Accessory / separate part category	Mounting accessory
Product or Component Type	Adaptation profile
Application	Multi-purpose
Nominal dimensions of the housing	-

Complementary

Range compatibility	PanelSeT PanelSeT SM
Mounting Location	Front and rear of enclosure
Installation direction	Vertical
Device composition	fixing screws 2 profile
Quantity per Set	Set of 1
Material	steel
Surface Finish	Galvanized
Fixing mode	By screws - on screws of hinges and latches
Height	Nominal: 55.1 in (1400 mm) Real: 51.4 in (1306 mm)
Width	1.7 in (42 mm)
Depth	1.0 in (24.5 mm)
thickness	0.06 in (1.5 mm)

Ordering and shipping details

Category	US10ES180036
Discount Schedule	0ES1
GTIN	3606480146633
Returnability	No
Country of origin	FR

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	1.181 in (3.000 cm)

Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 1 Width	2.165 in (5.500 cm)
Package 1 Length	53.150 in (135.000 cm)
Package weight(Lbs)	4.899 lb(US) (2.222 kg)
Unit Type of Package 2	P2M
Number of Units in Package 2	200
Package 2 Height	18.504 in (47.000 cm)
Package 2 Width	47.244 in (120.000 cm)
Package 2 Length	78.740 in (200.000 cm)
Package 2 Weight	1029.560 lb(US) (467.000 kg)

Contractual warranty

Warranty (in months)	18

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Environmental footprint

Total lifecycle Carbon footprint	**16 kg CO2 eq.**
Carbon footprint of the manufacturing phase [A1 to A3]	**10 kg CO2 eq.**
Carbon footprint of the distribution phase [A4]	**0.4 kg CO2 eq.**
Carbon footprint of the installation phase [A5]	**0.5 kg CO2 eq.**
Carbon footprint of the use phase [B2, B3, B4, B6]	**0 kg CO2 eq.**
Carbon footprint of the end-of-life phase [C1 to C4]	**5 kg CO2 eq.**
Environmental Disclosure	**Product Environmental Profile**

Use Better

Materials and Substances

Packaging made with recycled cardboard	**No**
Packaging without single use plastic	**No**
EU RoHS Directive	**Compliant**
REACh Regulation	**Free of Substances of Very High Concern above the threshold**

Use Longer

Lifetime extension

Repair	**No**

Use Again

Repack and remanufacture

Recyclability potential, in %	**98**
Circularity Profile	**No need of specific recycling operations**
Take-back	**No**