


Product data sheet

Specifications



Cable ducting support to be used with 22mm-diameter products

NSYSPCP

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

Accessory / separate part category	Cable management accessory
Product or Component Type	Support
Product destination	Cable duct
Range compatibility	PanelSeT PLA PanelSeT PLS PanelSeT PLM PanelSeT SBM PanelSeT S3D PanelSeT S3CM PanelSeT CRN
Anwendung	Multi-purpose
Mounting Support	Door
Device composition	1 support
Quantity per Set	Set of 10

Complementary

Material	Galvanised steel
Fixing mode	By screws on 22 mm equipment
Height	3.9 in (100 mm)
Width	1.2 in (30 mm)
Depth	0.5 in (11.5 mm)
Diameter	0.9 in (22.5 mm) 0 in (0 mm)

Ordering and shipping details

Category	US10ES180036
Discount Schedule	0ES1
GTIN	3606480184482
Returnability	No
Country of origin	FR

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	0.787 in (2.000 cm)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 1 Width	0.276 in (0.700 cm)
Package 1 Length	4.134 in (10.500 cm)
Package weight(Lbs)	1.023 oz (29.000 g)
Unit Type of Package 2	BB1
Number of Units in Package 2	10
Package 2 Height	0.787 in (2.000 cm)
Package 2 Width	2.756 in (7.000 cm)
Package 2 Length	4.134 in (10.500 cm)
Package 2 Weight	10.229 oz (290.000 g)
Unit Type of Package 3	CAR
Number of Units in Package 3	320
Package 3 Height	7.874 in (20.000 cm)
Package 3 Width	11.811 in (30.000 cm)
Package 3 Length	15.748 in (40.000 cm)
Package 3 Weight	22.245 lb(US) (10.090 kg)

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Environmental Disclosure

[Product Environmental Profile](#)

Use Better



Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant
REACH Regulation	Free of Substances of Very High Concern above the threshold
PVC free	Yes
Silicon free	Yes

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

Circularity Profile	No need of specific recycling operations
Take-back	No