


Product data sheet

Specifications



5mm double bar insert for large escucheon (without handle)

NSYTDB5PLA

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

Range	PanelSeT
Product or Component Type	Lock insert

Complementary

Accessory / separate part category	Locking accessory
Accessory / Separate Part Type	Insert for lock
Device Application	Multi-purpose
Mounting Support	Direct mounting on handle
Range compatibility	PanelSeT PLA
Device composition	1 shape insert 1 key

Ordering and shipping details

Category	US10ES180036
Discount Schedule	0ES1
GTIN	3606480194955
Returnability	No
Country of origin	ES

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	0.591 in (1.500 cm)
Package 1 Width	2.756 in (7.000 cm)
Package 1 Length	4.331 in (11.000 cm)
Package weight(Lbs)	2.469 oz (70.000 g)

Contractual warranty

Warranty (in months)	18
----------------------	----

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint	
Environmental Disclosure	Product Environmental Profile

Use Better

Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
SCIP Number	B275ac6d-38de-4397-a911-e79c04976382
EU RoHS Directive	Compliant By Exemption
REACH Regulation	Reference contains Substances of Very High Concern above the threshold
California proposition 65	WARNING: This product can expose you to chemicals including: Lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Use Longer

Lifetime extension	
Repair	No

Use Again

Repack and remanufacture	
Circularity Profile	No need of specific recycling operations
Take-back	No

Image of product in real life situation

