

Product data sheet

Specifications



Reduction bridge screw to screw,
Lineryg TR terminals blocks, for
connecting 6mm² spring to
2.5/4mm² screw terminal, red

NSYTRALV62

**Product availability: Non-Stock - Not normally stocked in
distribution facility**

Main

Range	Lineryg
Product name	TR
Product or Component Type	Reduction bridge screw to screw
Device short name	TRA
Accessory / separate part category	Connection accessory
Product compatibility	TRV screw terminal - passthrough terminal block, length = 1.9 in (47.7 mm)

Complementary

Cable cross section	0.009 in² (6 mm²)
number of connections	2
Number of measurement input	2
Quantity per Set	Set of 10
Product Weight	0.09 oz (2.6 g)

Ordering and shipping details

Category	US1CTR121254
Discount Schedule	CTR1
GTIN	3606480534386
Returnability	No
Country of origin	PL

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	2.0 in (5.0 cm)
Package 1 Width	5.9 in (15.0 cm)
Package 1 Length	6.7 in (17.0 cm)
Package weight(Lbs)	0.1 oz (3.0 g)
Unit Type of Package 2	BAG
Number of Units in Package 2	10
Package 2 Height	2.0 in (5.0 cm)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 2 Width	5.9 in (15.0 cm)
Package 2 Length	6.7 in (17.0 cm)
Package 2 Weight	1.3 oz (36.0 g)

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

Materials and Substances	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No, we have minimized the use of plastic in the packaging in compliance with regulations and considering quality and safety standards
EU RoHS Directive	Compliant
REACH Regulation	Free of Substances of Very High Concern above the threshold
Halogen content performance	Halogen free plastic parts product
PVC free	Yes
Silicon free	Yes

Use Longer

Lifetime extension	
Repair	No

Use Again

Repack and remanufacture	
Circularity Profile	No need of specific recycling operations
Take-back	No