

Product data sheet

Specifications



Cable passages IP65, round, M50, w/o connectors, 8 entries.

NSYTSAM508SE

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

Range	PanelSeT
Product or Component Type	Quick entrance plate
Accessory / separate part category	Cable management accessory
Device Application	Multi-purpose
Range compatibility	PanelSeT S3D compact enclosure PanelSeT CRN compact enclosure PanelSeT S3CM control enclosure PanelSeT SBM industrial box PanelSeT PLA suitable enclosure PanelSeT PHD suitable enclosure PanelSeT PLM compact enclosure PanelSeT PLS insulating modular box PanelSeT S3HD compact enclosure
Device composition	1 circular plate
Quantity per Set	Set of 10

Complementary

Mounting Support	Body of enclosure Cable gland plate
Material	polyamide
Fixing mode	Clipped By screws
Total cable entry number	8
Cable entry number	1 x 0.2...0.4 in (6...10 mm) 7 x 0.1...0.3 in (3.6...6.5 mm)
Height	Real: 1.3 in (33 mm)
Cable outer diameter	2.0 in (50.5 mm) 2.3 in (58 mm)
Product Weight	1.01 lb(US) (0.46 kg)

Environment

IP degree of protection	IP65
-------------------------	------

Ordering and shipping details

Category	US10ES180036
Discount Schedule	0ES1
GTIN	3606480168185
Returnability	No

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Country of origin	FR
-------------------	----

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	9.843 in (25.000 cm)
Package 1 Width	6.299 in (16.000 cm)
Package 1 Length	0.236 in (0.600 cm)
Package weight(Lbs)	1.623 oz (46.000 g)
Unit Type of Package 2	BB1
Number of Units in Package 2	10
Package 2 Height	9.843 in (25.000 cm)
Package 2 Width	6.299 in (16.000 cm)
Package 2 Length	2.362 in (6.000 cm)
Package 2 Weight	16.367 oz (464.000 g)
Unit Type of Package 3	CAR
Number of Units in Package 3	50
Package 3 Height	7.874 in (20.000 cm)
Package 3 Width	11.811 in (30.000 cm)
Package 3 Length	15.748 in (40.000 cm)
Package 3 Weight	5.842 lb(US) (2.650 kg)

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Environmental Disclosure

[Product Environmental Profile](#)

Use Better



Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
SCIP Number	73e923a6-870d-4d0d-9a27-5e8c9bbeb14d
EU RoHS Directive	Compliant By Exemption
REACH Regulation	Reference contains Substances of Very High Concern above the threshold
California proposition 65	WARNING: This product can expose you to chemicals including: Lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

Circularity Profile	No need of specific recycling operations
Take-back	No