

Product data sheet

Specifications



19" fixed chassis 12U Spacial

NSYVDM12UF

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

Range	PanelSeT
Accessory / separate part category	Mounting accessory
Product or Component Type	19" rack
Application	Electronic application Multi-purpose
For enclosure nominal dimensions	- H: 23.6 in (600 mm) W: 23.6 in (600 mm) D: 7.9 in (200 mm) - H: 23.6 in (600 mm) W: 23.6 in (600 mm) D: 9.8 in (250 mm) - H: 23.6 in (600 mm) W: 23.6 in (600 mm) D: 11.8 in (300 mm) - H: 23.6 in (600 mm) W: 23.6 in (600 mm) D: 15.7 in (400 mm)
Rack type	Fixed
Mounting Location	Step slide Front of enclosure
Range compatibility	PanelSeT PanelSeT S3D PanelSeT PanelSeT S3X PanelSeT PanelSeT VDM PanelSeT PanelSeT CRN
Device composition	fixing elements 2 19" uprights
Number of units 19"	12

Complementary

Material	galvanised steel
Enclosure/cubicle description	Wall-mounted enclosure
Fixing Mode	By fixing element
Adjustment	Adjustable in depth, pitch 12.5 mm, on the step slide
color	Gray RAL 7035)
Permanent permissible load	6.6 lb(US) (3 kg) per unit
Height	Nominal: 23.6 in (600 mm)
Width	Nominal: 23.6 in (600 mm)
Depth	27.6 in (700 mm)
thickness	0.08 in (2 mm)
Product Weight	9.61 lb(US) (4.36 kg)

Ordering and shipping details

Category	US10ES180036
Discount Schedule	0ES1

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

GTIN	3606480174773
Returnability	No
Country of origin	ES

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	2.756 in (7.000 cm)
Package 1 Width	4.134 in (10.500 cm)
Package 1 Length	23.622 in (60.000 cm)
Package weight(Lbs)	7.430 lb(US) (3.370 kg)
Unit Type of Package 2	PAM
Number of Units in Package 2	100
Package 2 Height	16.142 in (41.000 cm)
Package 2 Width	39.370 in (100.000 cm)
Package 2 Length	47.244 in (120.000 cm)
Package 2 Weight	771.619 lb(US) (350.000 kg)

Contractual warranty

Warranty (in months)	18
----------------------	----

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

 Environmental footprint	
Total lifecycle Carbon footprint	32 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	16 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	7 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0.7 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	0 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	8 kg CO2 eq.
Environmental Disclosure	Product Environmental Profile

Use Better

 Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
SCIP Number	E893f0a0-d2cc-4011-9425-3873dde70142
EU RoHS Directive	Compliant
REACH Regulation	Free of Substances of Very High Concern above the threshold
California proposition 65	WARNING: This product can expose you to chemicals including: Cadmium and cadmium compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Use Longer

 Lifetime extension	
Repair	No

Use Again

 Repack and remanufacture	
Circularity Profile	No need of specific recycling operations
Take-back	No