Product data sheet

Specifications

Quick Connect Power panel, ASCO Series 300, 3 pole, 800A, 480V, Type 3R, Cat# 3QCNCAA30800N00F

PPATS_1170057-022

Main

Switch Series	ASCO 300 Series
Product or Component Type	Connection tap-off box
Rated Current	800 A
Number of Phases	Three phase
Number of Poles	3P
Rated Voltage	600 V

Complementary

Neutral Configurations	Solid neutral
Enclosure Options	UL Type 3R

Ordering and shipping details

GTIN	3606487201229

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	28.1200 in (71.4248 cm)
Package 1 Width	60.9600 in (154.8384 cm)
Package 1 Length	81.2800 in (206.4512 cm)
Package weight(Lbs)	65.04 lb(US) (29.5 kg)

Contractual warranty

Warranty (in months)	18

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained

How we assess product sustainability

Use Better

Materials and Substances

Packaging made with recycled cardboard	**No**
Packaging without single use plastic	**No**
California proposition 65	**WARNING: This product can expose you to chemicals including: Lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov**

Use Longer

Lifetime extension

Repair	**No**

Use Again

Repack and remanufacture

Take-back	**No**

Image of product / Alternate images

Alternative