

# Product data sheet

Specifications



## Override Display Module, SpaceLogic, MP-C Display, for all MP-C models

SXWMPCDSP10001

**Product availability: Stock - Normally stocked in distribution facility**

### Main

|                                       |                                                                            |
|---------------------------------------|----------------------------------------------------------------------------|
| Keypad Type                           | 5 keys                                                                     |
| Width                                 | 2.9 in (74 mm)                                                             |
| Product Certifications                | EN<br>UL<br>RCM<br>WEEE<br>RoHS                                            |
| Power Consumption in W                | 0.15 W                                                                     |
| Product Weight                        | 0.077 lb(US) (0.035 kg)                                                    |
| Product or Component Type             | Display                                                                    |
| Device short name                     | MP-C DISPLAY                                                               |
| Height                                | 1.8 in (46 mm)                                                             |
| Model                                 | MP-C DISPLAY                                                               |
| Directives                            | 2014/30/EU - electromagnetic compatibility                                 |
| Ambient Air Temperature for Storage   | -40...158 °F (-40...70 °C)                                                 |
| Depth                                 | 0.9 in (24 mm)                                                             |
| Display Type                          | FSTN monochrome LCD<br>White color transreflective backlight               |
| Display size                          | 1.4 x0.7" (36 x 17 mm)                                                     |
| Ambient air temperature for operation | -22...140 °F (-30...60 °C)                                                 |
| Display Resolution                    | 128 x 64 pixels                                                            |
| Relative Humidity                     | 0...95 % RH, non-condensing                                                |
| Standards                             | UL 916<br>ICES-003 class B<br>FCC CFR 47 part 15 class B<br>EN/ISO 16484-2 |
| Range Compatibility                   | SpaceLogic SmartX MP-C controller                                          |
| Flame Retardance                      | UL94-5VB                                                                   |

### Ordering and shipping details

|                   |               |
|-------------------|---------------|
| Category          | US1BMS180230  |
| Discount Schedule | BMS1          |
| GTIN              | 3606481355492 |
| Returnability     | Yes           |
| Country of origin | FR            |

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

# Packing Units

|                              |                   |
|------------------------------|-------------------|
| Unit Type of Package 1       | PCE               |
| Number of Units in Package 1 | 1                 |
| Package 1 Height             | 4.96 in (12.6 cm) |
| Package 1 Width              | 2.44 in (6.2 cm)  |
| Package 1 Length             | 1.18 in (3 cm)    |
| Package 1 Weight             | 2.1 oz (60 g)     |

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

| Environmental footprint                        |                                               |
|------------------------------------------------|-----------------------------------------------|
| Carbon footprint (kg CO2 eq, Total Life cycle) | 6                                             |
| Environmental Disclosure                       | <a href="#">Product Environmental Profile</a> |

Use Better

| Materials and Substances               |                                                                                                                                                                                                                                                                          |
|----------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Packaging made with recycled cardboard | Yes                                                                                                                                                                                                                                                                      |
| Packaging without single use plastic   | Yes                                                                                                                                                                                                                                                                      |
| <a href="#">EU RoHS Directive</a>      | Compliant with Exemptions                                                                                                                                                                                                                                                |
| SCIP Number                            | 5181bc3e-3e99-4527-8f44-ec47c75602ef                                                                                                                                                                                                                                     |
| REACH Regulation                       | <a href="#">REACH Declaration</a>                                                                                                                                                                                                                                        |
| California proposition 65              | WARNING: This product can expose you to chemicals including: Lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a> |
| Halogen content performance            | Halogen free plastic parts product                                                                                                                                                                                                                                       |
| PVC free                               | Yes                                                                                                                                                                                                                                                                      |

Use Again

| Repack and remanufacture |                                                                                                                                                                                                                  |
|--------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Circularity Profile      | <a href="#">End of Life Information</a>                                                                                                                                                                          |
| Take-back                | No                                                                                                                                                                                                               |
| WEEE                     |  The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins. |