Product data sheet

Specifications

To be discontinued

NEMA Contactor, TeSys N, reversing, Size 2, 45A, 25HP at 460VAC, 3 pole, 3 phase, 208VAC 50/60Hz coil, open

T02DN23LE7

To be discontinued on: Aug 15, 2026

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

Product Type	Contactor
Range	TeSys N
Contactor Type	Reversing
NEMA Size	2
Motor Horsepower Rating HP	10 hp 200 V AC 15 hp 230 V AC 25 hp 460 V AC 25 hp 575 V AC

Complementary

Rated Current	45 A
[Ue] Rated Operational Voltage	600 V AC
Control Circuit	Common control circuit
Coil Voltage	208 V AC
Number of Poles	3P
Network Phases	3 phase
Auxiliary Contact Composition	1 NO + 1 NC
Electrical Connection	Screw clamp terminals

Environmental

Product Certifications	UL Listed CSA
NEMA Degree of Protection	Not rated (open device)

Ordering and shipping details

Category	US10CP121196
Discount Schedule	0CP1
GTIN	3606480575150
Returnability	No
Country of origin	FR

Packing Units

Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	2.6 in (6.5 cm)
Package 1 Width	5.3 in (13.5 cm)
Package 1 Length	6.1 in (15.5 cm)
Package weight(Lbs)	4.6 lb(US) (2.1 kg)

Contractual warranty

Warranty (in months)	18

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained

How we assess product sustainability

Use Better

Materials and Substances

Packaging made with recycled cardboard	**Yes**
Packaging without single use plastic	**No**
EU RoHS Directive	**Compliant**
California proposition 65	**WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov**
PVC free	**Yes**

Use Longer

Lifetime extension

Repair	**No**

Use Again

Repack and remanufacture

Circularity Profile	**End of Life Information**
Take-back	**No**