

Product data sheet

Specifications



Ethernet ConneXium cable - shielded twisted pair - 2 x rugged RJ45 - UL - 3 m

TCSECU3M3M3S4

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

Range of Product	Modicon Networking
Accessory / separate part category	Connection accessories
Accessory / Separate Part Type	Connecting cable
Product or Component Type	Pre-assembled Ethernet cable with RJ45 connectors
Accessory / separate part destination	Ethernet network
Cable length	9.8 ft (3 m)

Complementary

Transmission support medium	Twisted shielded pairs cable
Communication network category	5e
AWG Gauge	24 AWG
Electrical connection	2 connectors, RJ45 straight 8
Marking	UL
Cover Material	PVC

Environment

IP Degree of Protection	IP20
Standards	IEC 11801 class D CMG FT4 EIA/TIA-568 category CAT 5E UL 444 EN 50173 class D

Ordering and shipping details

Category	US1PC4118225
Discount Schedule	PC41
GTIN	3595864142968
Returnability	No
Country of origin	TH

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	0.591 in (1.500 cm)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 1 Width	7.874 in (20.000 cm)
Package 1 Length	11.811 in (30.000 cm)
Package weight(Lbs)	6.279 oz (178.000 g)
Unit Type of Package 2	S02
Number of Units in Package 2	15
Package 2 Height	5.906 in (15.000 cm)
Package 2 Width	11.811 in (30.000 cm)
Package 2 Length	15.748 in (40.000 cm)
Package 2 Weight	6.651 lb(US) (3.017 kg)

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

Materials and Substances	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Compliant
REACH Regulation	Free of Substances of Very High Concern above the threshold
California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Use Longer

Lifetime extension	
Repair	No

Use Again

Repack and remanufacture	
Take-back	No