

Product data sheet

Specifications



AS-Interface master module - V1 - standard

TSXSAZ10

⚠ Discontinued on: Dec 2, 2020

⚠ To be end-of-service on: Dec 31, 2027

⚠ Discontinued - Service only

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

Range of Product	Modicon Premium Automation platform
Product or Component Type	AS-Interface master module

Complementary

Range Compatibility	AS-Interface cabling system
Actuator sensor interface profile [AS-i]	M2
AS-i version	V1
Addressing	Standard
Number of server device(s)	31, standard
Type of connectable interfaces	Discrete I/Os (4I/4O)
Electrical connection	Terminal block AS-Interface line
Supply	Via power supply integrated into the host platform of the module

Environment

Product Certifications	AS-Interface No 12001
Standards	IEC 60068-2-6, Fc tests IEC 60068-2-27, Ea tests IEC 61131-2
Ambient Air Temperature for Operation	32...140 °F (0...60 °C)
Ambient Air Temperature for Storage	-13...158 °F (-25...70 °C)
IP Degree of Protection	IP20

Ordering and shipping details

Category	US1PC1422556
Discount Schedule	PC14
GTIN	3389110738070
Returnability	No

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 1 Height	2.2 in (5.5 cm)
Package 1 Width	2.2 in (5.7 cm)
Package 1 Length	10.04 in (25.5 cm)
Package weight(Lbs)	11.4 oz (324.0 g)
Unit Type of Package 2	S03
Number of Units in Package 2	8
Package 2 Height	11.8 in (30.0 cm)
Package 2 Width	11.8 in (30.0 cm)
Package 2 Length	15.7 in (40.0 cm)
Package 2 Weight	5.714 lb(US) (2.592 kg)

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

Materials and Substances	
California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds which is known to the State of California to cause Carcinogen & Reproductive harm. For more information go to www.p65warnings.ca.gov

Use Longer

Lifetime extension	
Repair	No