

Product data sheet

Specifications



Disconnect switch, TeSys VLS, 500 mm shaft extension, 7 mm shaft

VLSS5007N

Product availability: Stock - Normally stocked in distribution facility

Main

Range	TeSys
Device short name	VLSS
Product or Component Type	Shaft extension
Range compatibility	TeSys TeSys VARIO LS VLSH TeSys TeSys VARIO LS

Complementary

Length	19.7 in (500 mm)
Cross-section width	0.2 in (5 mm)
Product Weight	17.6 oz (500 g)

Ordering and shipping details

Category	US1CTR121254
Discount Schedule	CTR1
GTIN	3606481818348
Returnability	Yes
Country of origin	IT

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	0.394 in (1.000 cm)
Package 1 Width	1.969 in (5.000 cm)
Package 1 Length	21.654 in (55.000 cm)
Package weight(Lbs)	8.677 oz (246.000 g)
Unit Type of Package 2	BB1
Number of Units in Package 2	20
Package 2 Height	6.693 in (17.000 cm)
Package 2 Width	10.630 in (27.000 cm)
Package 2 Length	22.441 in (57.000 cm)
Package 2 Weight	13.206 lb(US) (5.990 kg)
Unit Type of Package 3	P12
Number of Units in Package 3	240

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 3 Height	29.528 in (75.000 cm)
Package 3 Width	31.496 in (80.000 cm)
Package 3 Length	47.244 in (120.000 cm)
Package 3 Weight	191.538 lb(US) (86.880 kg)

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

Materials and Substances	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Compliant
REACH Regulation	Free of Substances of Very High Concern above the threshold

Use Longer

Lifetime extension	
Repair	No

Use Again

Repack and remanufacture	
Take-back	No