


Product data sheet

Specifications



pre-assembled cable kit for fieldbus interfaces and power supply - CANopen - 3 m

VW3L2F001R30

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

Product or Component Type	Pre-assembled cable kits for fieldbus interfaces and power supply
Accessory / Separate Part Type	Cable
Accessory / separate part category	Connection accessories
Accessory / separate part destination	For drives with printed circuit board connectors for power/fieldbus interface
Cable length	9.8 ft (3 m)
Additional information	With integrated cable entry with strain relief

Complementary

Range Compatibility	Lexium ILA Lexium ILS Lexium ILE
Communication interface	CANopen
Electrical connection	Printed circuit board connector drive 1 connector RJ45 fieldbus Cable end open SUB-D 9 power supply
Product Weight	1.23 lb(US) (0.56 kg)

Ordering and shipping details

Category	US1PC5618289
Discount Schedule	PC56
GTIN	3389118367548
Returnability	No
Country of origin	CZ

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	2.0 in (5 cm)
Package 1 Width	8.7 in (22 cm)
Package 1 Length	9.06 in (23 cm)
Package weight(Lbs)	19.8 oz (560 g)
Unit Type of Package 2	S04
Number of Units in Package 2	10
Package 2 Height	11.8 in (30 cm)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 2 Width	15.7 in (40 cm)
Package 2 Length	23.6 in (60 cm)
Package 2 Weight	15.106 lb(US) (6.852 kg)

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

Materials and Substances	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Compliant
REACH Regulation	Free of Substances of Very High Concern above the threshold
California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
PVC free	Yes

Use Longer

Lifetime extension	
Repair	No

Use Again

Repack and remanufacture	
Take-back	No