

Product data sheet

Specifications



LXM28 IO PTI connection cable 3m

VW3M1C10R30

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

Range of Product	Lexium 28
Product or Component Type	Pulse train input cable
Accessory / Separate Part Type	Preassembled I/O and PTI cordset
Accessory / separate part category	Connection accessories
Product compatibility	Logic controller M221 Logic controller M241 Servo drive LXM28
Accessory / separate part destination	Between servo drive and logic controller
Range Compatibility	Lexium 28
Cable length	9.8 ft (3 m)

Complementary

Electrical connection	Connector - SUB-D 50 servo drive side Free end CN1 interface
Product Weight	0.7 lb(US) (0.3 kg)

Ordering and shipping details

Category	US1PC5118264
Discount Schedule	PC51
GTIN	3606480736025
Returnability	No
Country of origin	CH

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	2.165 in (5.500 cm)
Package 1 Width	6.890 in (17.500 cm)
Package 1 Length	8.268 in (21.000 cm)
Package weight(Lbs)	23.704 oz (672.000 g)
Unit Type of Package 2	S03
Number of Units in Package 2	10
Package 2 Height	11.811 in (30.000 cm)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 2 Width	11.811 in (30.000 cm)
Package 2 Length	15.748 in (40.000 cm)
Package 2 Weight	16.111 lb(US) (7.308 kg)

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
REACH Regulation	Free of Substances of Very High Concern above the threshold

Use Longer

Lifetime extension	
Repair	No

Use Again

Repack and remanufacture	
Take-back	No