

Product data sheet

Specifications



power cordset 4x1,5mm² + 2x1mm²
+ 2x0,14mm² 5 m one end w M23
industrial con.

VW3M5501R50

**Product availability: Non-Stock - Not normally stocked in
distribution facility**

Main

Range of Product	Altivar
Accessory / Separate Part Type	Power cable
Accessory / separate part category	Connection accessories
Accessory / separate part destination	Between synchronous motor and variable speed drive
Range Compatibility	Altivar Machine ATV320 Altivar 32
Cable length	16.4 ft (5 m)
Type of Cable	Shielded cable

Complementary

Product compatibility	Synchronous motor BMP 5.5 in (140 mm), 1 C Synchronous motor BMP 5.5 in (140 mm), 1 F Synchronous motor BMP 5.5 in (140 mm), 2 C Synchronous motor BMP 2.8 in (70 mm), 1 R Synchronous motor BMP 2.8 in (70 mm), 1 F Synchronous motor BMP 2.8 in (70 mm), 2 R Synchronous motor BMP 2.8 in (70 mm), 2 F Synchronous motor BMP 3.9 in (100 mm), 1 R Synchronous motor BMP 3.9 in (100 mm), 1 F Synchronous motor BMP 3.9 in (100 mm), 2 R Synchronous motor BMP 3.9 in (100 mm), 2 F
Electrical connection	1 connector M23 8 synchronous motor side 1 free end variable speed drive side
Cable composition	4 x 1.5 mm ² + 2 x 1 mm ² + 2 x 0.14 mm ²
Product Weight	2.80 lb(US) (1.27 kg)

Ordering and shipping details

Category	US1PC5118263
Discount Schedule	PC51
GTIN	3606480564529
Returnability	No
Country of origin	CZ

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	3.661 in (9.300 cm)
Package 1 Width	10.433 in (26.500 cm)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 1 Length	13.268 in (33.700 cm)
Package weight(Lbs)	3.139 lb(US) (1.424 kg)
Unit Type of Package 2	S04
Number of Units in Package 2	5
Package 2 Height	11.811 in (30.000 cm)
Package 2 Width	15.748 in (40.000 cm)
Package 2 Length	23.622 in (60.000 cm)
Package 2 Weight	18.633 lb(US) (8.452 kg)

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Total lifecycle Carbon footprint	164 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	8 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	0.2 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	155 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	1 kg CO2 eq.
Environmental Disclosure	Product Environmental Profile

Use Better



Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Compliant
REACH Regulation	Free of Substances of Very High Concern above the threshold
California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
PVC free	Yes

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

Circularity Profile	End of Life Information
Take-back	No