Product data sheet

Specifications

power cable 3m shielded 4x 1,3mm², BCH2 MIL connector

VW3M5D2AR30

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

Range of Product	Lexium 28
Product or Component Type	Power cable
Accessory / Separate Part Type	Preassembled power cordset
Accessory / separate part category	Connection accessories
Product compatibility	Servo motor BCH2 1000 W 3.9 in (100 mm)) without brake) Servo motor BCH2 2000 W 3.9 in (100 mm)) without brake) Servo motor BCH2 300 W 5.1 in (130 mm)) without brake) Servo motor BCH2 500 W 5.1 in (130 mm)) without brake) Servo motor BCH2 600 W 5.1 in (130 mm)) without brake) Servo motor BCH2 850 W 5.1 in (130 mm)) without brake) Servo motor BCH2 900 W 5.1 in (130 mm)) without brake) Servo motor BCH2 1000 W 5.1 in (130 mm)) without brake) Servo motor BCH2 1500 W 5.1 in (130 mm)) without brake) Servo motor BCH2 2000 W 5.1 in (130 mm)) without brake)
Accessory / separate part destination	Between servo motor and servo drive
Range Compatibility	Lexium 28
Cable length	9.8 ft (3 m)

Complementary

Electrical connection	Free end servo drive side Connector - MIL small servo motor side
AWG gauge	4 x AWG 16
Product Weight	0.99 lb(US) (0.45 kg)

Ordering and shipping details

Category	US1PC5118264
Discount Schedule	PC51
GTIN	3606480735691
Returnability	No
Country of origin	TN

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	1.378 in (3.500 cm)
Package 1 Width	10.433 in (26.500 cm)
Package 1 Length	12.598 in (32.000 cm)

Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package weight(Lbs)	21.235 oz (602.000 g)
Unit Type of Package 2	S02
Number of Units in Package 2	5
Package 2 Height	5.906 in (15.000 cm)
Package 2 Width	11.811 in (30.000 cm)
Package 2 Length	15.748 in (40.000 cm)
Package 2 Weight	7.253 lb(US) (3.290 kg)

Contractual warranty

Warranty (in months)	18

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained

How we assess product sustainability

Use Better

Materials and Substances

Packaging made with recycled cardboard	**No**
Packaging without single use plastic	**No**
EU RoHS Directive	**Compliant**
REACh Regulation	**Free of Substances of Very High Concern above the threshold**
California proposition 65	**WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov**
PVC free	**Yes**

Use Longer

Lifetime extension

Repair	**No**

Use Again

Repack and remanufacture

Take-back	**No**