

Product data sheet

Specifications



preassembled cord set for RS422 control, Lexium 05, 1.5m

VW3M8201R15

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

Accessory / separate part designation	Preassembled cordset for RS422 control
Accessory / Separate Part Type	Connecting cable
Accessory / separate part category	Connection accessories
Product Compatibility	LXM05
Accessory / separate part destination	Between Lexium 05 servo drive (CN5 input) and incremental encoder Between Lexium 05 servo drive (CN5 input) and external control
Cable length	4.9 ft (1.5 m)

Complementary

Electrical connection	Free end 1 connector Molex, 10 ways Lexium 05 side (CN5)
Product Weight	0.07 lb(US) (0.03 kg)

Ordering and shipping details

Category	US1PC5518286
Discount Schedule	PC55
GTIN	3389119207508
Returnability	No
Country of origin	CZ

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	0.591 in (1.500 cm)
Package 1 Width	9.843 in (25.000 cm)
Package 1 Length	9.843 in (25.000 cm)
Package weight(Lbs)	2.892 oz (82.000 g)
Unit Type of Package 2	S04
Number of Units in Package 2	60
Package 2 Height	11.811 in (30.000 cm)
Package 2 Width	15.748 in (40.000 cm)
Package 2 Length	23.622 in (60.000 cm)
Package 2 Weight	12.280 lb(US) (5.570 kg)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Unit Type of Package 3	P06
Number of Units in Package 3	240
Package 3 Height	29.528 in (75.000 cm)
Package 3 Width	31.496 in (80.000 cm)
Package 3 Length	23.622 in (60.000 cm)
Package 3 Weight	66.756 lb(US) (30.280 kg)

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

Materials and Substances	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Compliant
California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
PVC free	Yes

Use Longer

Lifetime extension	
Repair	No

Use Again

Repack and remanufacture	
Take-back	No