

Product data sheet

Specifications



cable for pulse/direction signal, Lexium SD3, 24V, 3m

VW3S8206R30

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

Accessory / separate part designation	Cable for pulse/direction signal
Accessory / Separate Part Type	Connecting cable
Accessory / separate part category	Connection accessories
Accessory / separate part destination	Between stepper drive SD326 and Siemens programmable controller S7-300 FM353
Range Compatibility	Lexium SD3
Cable length	9.8 ft (3 m)

Complementary

Product Compatibility	SD326
[Uc] control circuit voltage	24 V
Electrical connection	1 connector 24-pole Molex SD326) 1 connector SUB-D 15 S7-300 FM353)

Ordering and shipping details

Category	US1PC5518286
Discount Schedule	PC55
GTIN	3389119224673
Returnability	No
Country of origin	CZ

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	1.2 in (3 cm)
Package 1 Width	15.7 in (40 cm)
Package 1 Length	11.8 in (30 cm)
Package weight(Lbs)	15.5 oz (439 g)
Unit Type of Package 2	CAR
Number of Units in Package 2	1
Package 2 Height	1.2 in (3 cm)
Package 2 Width	15.7 in (40 cm)
Package 2 Length	11.8 in (30 cm)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 2 Weight	33.1 oz (939 g)
------------------	-----------------

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

Materials and Substances	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Compliant
REACH Regulation	Free of Substances of Very High Concern above the threshold
California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
PVC free	Yes

Use Longer

Lifetime extension	
Repair	No

Use Again

Repack and remanufacture	
Take-back	No