

# Product data sheet

Specifications

## Legend panel 400x200mm template 1, Harmony XB5



ZBYLEG402001

**Product availability: Non-Stock - Not normally stocked in distribution facility**

### Main

|                                    |                     |
|------------------------------------|---------------------|
| Product or Component Type          | Legend panel        |
| Accessory / separate part category | Marking accessories |

### Complementary

|                                       |                                                                                                                                           |
|---------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|
| Material                              | Plastic                                                                                                                                   |
| Device Composition                    | Marked panel                                                                                                                              |
| Accessory / separate part destination | Ø 16 mm control and signalling units<br>Ø 22 mm control and signalling units<br>Ø 30 mm control and signalling units<br>For standard head |
| Range Compatibility                   | Harmony XB4<br>Harmony XB5<br>Harmony XB6<br>Harmony 9001K                                                                                |
| Legend holder size                    | 400 x 200                                                                                                                                 |
| Product Weight                        | 0.110 lb(US) (0.050 kg)                                                                                                                   |

### Environment

|           |                             |
|-----------|-----------------------------|
| Standards | ISO 21702<br>ISO 22196:2011 |
|-----------|-----------------------------|

### Ordering and shipping details

|                   |               |
|-------------------|---------------|
| Category          | US10CS222467  |
| Discount Schedule | 0CS2          |
| GTIN              | 3606489755829 |
| Returnability     | Yes           |
| Country of origin | FR            |

### Packing Units

|                        |                       |
|------------------------|-----------------------|
| Unit Type of Package 1 | PCE                   |
| Nbr. of units in pkg.  | 1                     |
| Package 1 Height       | 0.197 in (0.500 cm)   |
| Package 1 Width        | 12.598 in (32.000 cm) |
| Package 1 Length       | 17.323 in (44.000 cm) |
| Package weight(Lbs)    | 2.152 oz (61.000 g)   |
| Unit Type of Package 2 | BB1                   |

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

|                              |                         |
|------------------------------|-------------------------|
| Number of Units in Package 2 | 10                      |
| Package 2 Height             | 0.394 in (1.000 cm)     |
| Package 2 Width              | 12.795 in (32.500 cm)   |
| Package 2 Length             | 17.520 in (44.500 cm)   |
| Package 2 Weight             | 21.552 oz (611.000 g)   |
| Unit Type of Package 3       | S04                     |
| Number of Units in Package 3 | 40                      |
| Package 3 Height             | 11.811 in (30.000 cm)   |
| Package 3 Width              | 15.748 in (40.000 cm)   |
| Package 3 Length             | 23.622 in (60.000 cm)   |
| Package 3 Weight             | 6.821 lb(US) (3.094 kg) |

## Contractual warranty

|                      |    |
|----------------------|----|
| Warranty (in months) | 18 |
|----------------------|----|



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



### Environmental footprint

|                                                        |                                               |
|--------------------------------------------------------|-----------------------------------------------|
| Total lifecycle Carbon footprint                       | 0.3 kg CO2 eq.                                |
| Carbon footprint of the manufacturing phase [A1 to A3] | 0.2 kg CO2 eq.                                |
| Carbon footprint of the distribution phase [A4]        | 0 kg CO2 eq.                                  |
| Carbon footprint of the installation phase [A5]        | 0 kg CO2 eq.                                  |
| Carbon footprint of the use phase [B2, B3, B4, B6]     | 0 kg CO2 eq.                                  |
| Carbon footprint of the end-of-life phase [C1 to C4]   | 0.1 kg CO2 eq.                                |
| Environmental Disclosure                               | <a href="#">Product Environmental Profile</a> |

## Use Better



### Materials and Substances

|                                        |                                                                                                                                                                                                                                                                                       |
|----------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Packaging made with recycled cardboard | No                                                                                                                                                                                                                                                                                    |
| Packaging without single use plastic   | No                                                                                                                                                                                                                                                                                    |
| EU RoHS Directive                      | <a href="#">Compliant</a>                                                                                                                                                                                                                                                             |
| REACH Regulation                       | <a href="#">Free of Substances of Very High Concern above the threshold</a>                                                                                                                                                                                                           |
| California proposition 65              | WARNING: This product can expose you to chemicals including: Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a> |

## Use Longer



### Lifetime extension

|        |    |
|--------|----|
| Repair | No |
|--------|----|

## Use Again



### Repack and remanufacture

|                               |                                          |
|-------------------------------|------------------------------------------|
| Recyclability potential, in % | 0                                        |
| Circularity Profile           | No need of specific recycling operations |
| Take-back                     | No                                       |

Offer Marketing Illustration

Product benefits / Features



Offer Marketing Illustration

Product benefits / Features

### Features

Harmony XB5



Quick and easy assembly and disassembly



Excellent mechanical connection with operator head



Various types of connection: screw clamp, connector, Faston connector, spring terminal, or printed circuit board



Robustness to withstand harsh environments



Large set of accessories to customize your panels



Image of product / Alternate images

Alternative

---





