

Product data sheet

Specifications



Protective boot, Harmony XB4, for contact blocks, plastic, black

ZBZ60

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

Range of Product	Harmony XB4 Harmony XB5
Accessory / Separate Part Type	Protective boot
Product or Component Type	Protective boot
Accessory / separate part category	Protection accessories
Accessory / separate part destination	Contact block For standard head
Quantity per Set	Set of 1

Complementary

Material	Plastic
Product Compatibility	ZBE5013 ZBE202 ZBE5053 ZBE504 ZBE5043 ZBE1013 ZBE201 ZBE102 ZBE503 ZBE501 ZBE1023 ZBE101 ZBE5023 ZBE502 ZBE505 ZBE5033
Color	Black
Product Weight	0.216 lb(US) (0.098 kg)
CAD overall depth	3.9 in (100 mm)
CAD overall height	2.9 in (73 mm)
CAD overall width	1.7 in (43 mm)

Environment

Ambient Air Temperature for Storage	-40...185 °F (-40...85 °C)
Ambient Air Temperature for Operation	-13...158 °F (-25...70 °C)
IP degree of protection	IP5X

Ordering and shipping details

Category	US10CS222469
----------	--------------

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Discount Schedule	0CS2
GTIN	3389111000091
Returnability	Yes
Country of origin	FR

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	2.835 in (7.200 cm)
Package 1 Width	4.016 in (10.200 cm)
Package 1 Length	4.409 in (11.200 cm)
Package weight(Lbs)	4.374 oz (124.000 g)

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Total lifecycle Carbon footprint	0.8 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	0.7 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	0 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0.1 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	0 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	0 kg CO2 eq.
Environmental Disclosure	Product Environmental Profile

Use Better



Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	Yes
EU RoHS Directive	Compliant
REACH Regulation	Free of Substances of Very High Concern above the threshold
California proposition 65	WARNING: This product can expose you to chemicals including: Nickel compounds, which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

Circularity Profile	No need of specific recycling operations
Take-back	No

Offer Marketing Illustration

Product benefits / Features

Features

Harmony XB4



Quick and easy assembly and disassembly



Various types of connection: screw clamp, connector, Faston connector, spring terminal, or printed circuit board



Excellent mechanical connection with operator head



Large set of accessories to customize your panels



Robustness to withstand harsh environments



Offer Marketing Illustration

Product benefits / Features




Image of product / Alternate images

Alternative





