

# Product data sheet

Specifications

SQUARE D



NEMA contactor, Type S, pilot light, LED, green, 120VAC 60Hz, NEMA size 00 to 7, NEMA 1/3R/12

9999SPL28G

Product availability: Non-Stock - Not normally stocked in distribution facility

## Main

|                |                   |
|----------------|-------------------|
| Product Range  | Type S            |
| Component type | Pilot light kit   |
| Used with      | contactor starter |

## Complementary

|                              |                                                           |
|------------------------------|-----------------------------------------------------------|
| NEMA size                    | 6<br>1<br>3<br>0<br>00<br>7<br>5<br>2<br>4                |
| Signalling colour            | Green                                                     |
| [Uc] control circuit voltage | 120 V AC 60 Hz                                            |
| Kit composition              | 1 pilot light<br>1 cap<br>2 cable clips<br>2 instructions |

## Environment

|                           |                             |
|---------------------------|-----------------------------|
| NEMA Degree of Protection | NEMA 12<br>NEMA 1<br>NEMA 4 |
| Product Certifications    | CSA<br>UL Recognized        |

## Ordering and shipping details

|                   |              |
|-------------------|--------------|
| Category          | US10CP121761 |
| Discount Schedule | 0CP1         |
| GTIN              | 785901685678 |
| Returnability     | Yes          |
| Country of origin | MX           |

## Packing Units

|                        |                     |
|------------------------|---------------------|
| Unit Type of Package 1 | PCE                 |
| Nbr. of units in pkg.  | 1                   |
| Package 1 Height       | 3.200 in (8.128 cm) |

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

|                     |                       |
|---------------------|-----------------------|
| Package 1 Width     | 4.400 in (11.176 cm)  |
| Package 1 Length    | 6.200 in (15.748 cm)  |
| Package weight(Lbs) | 13.280 oz (376.481 g) |

## Contractual warranty

|                      |    |
|----------------------|----|
| Warranty (in months) | 18 |
|----------------------|----|



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Use Better

| Materials and Substances               |                                                                                                            |
|----------------------------------------|------------------------------------------------------------------------------------------------------------|
| Packaging made with recycled cardboard | Yes                                                                                                        |
| Packaging without single use plastic   | Yes                                                                                                        |
| California proposition 65              | WARNING: Cancer and Reproductive Harm - <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a> |

### Use Longer

| Lifetime extension |    |
|--------------------|----|
| Repair             | No |

### Use Again

| Repack and remanufacture |    |
|--------------------------|----|
| Take-back                | No |