

Product data sheet

Specifications



Meter socket, ringed, 1 phase, 3 wire, 7 jaws, solid top, test block bypass, no jaw release

CM732E

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

Product or Component Type	Meter Socket
Meter socket type	Ringed
Hub type	Solid top

Complementary

Number of jaws	7 without jaw release
Bypass type	Test block bypass
Phase	3 phase
[Ue] rated operational voltage	208Y/120 V AC 240/120 V delta AC 480Y/277 V AC
Electrical connection	Plug-in
Service feed location	UG
Wiring configuration	4-wire
AWG gauge	AWG 6...350 kcmil aluminium/copper)line side AWG 6...350 kcmil aluminium/copper)service ground

Environment

Product Certifications	UL Listed
------------------------	-----------

Ordering and shipping details

Category	US1PE1A09553
Discount Schedule	PE1A
GTIN	785901744337
Returnability	Yes
Country of origin	MX

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	10.400 in (26.416 cm)
Package 1 Width	14.200 in (36.068 cm)
Package 1 Length	19.400 in (49.276 cm)
Package weight(Lbs)	15.221 lb(US) (6.904 kg)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Environmental Disclosure

[Product Environmental Profile](#)

Use Better



Materials and Substances

Packaging made with recycled cardboard

No

Packaging without single use plastic

No

EU RoHS Directive

[Compliant By Exemption](#)

REACH Regulation

[Reference contains Substances of Very High Concern above the threshold](#)

California proposition 65

WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Use Longer



Lifetime extension

Repair

No

Use Again



Repack and remanufacture

Circularity Profile

No need of specific recycling operations

Take-back

No