

# Product data sheet

Specifications

SQUARE D



Main circuit breaker busway tap left, EZ Meter-Pak, 600A, 240VAC max, 3ph/4W, 600A bus, 65kA, neut front, Type 1

EZM3600CBNFBTL

Product availability: Non-Stock - Not normally stocked in distribution facility

## Main

|                           |                                                    |
|---------------------------|----------------------------------------------------|
| Range of Product          | EZ meter-pak                                       |
| Product or Component Type | Meter center main unit                             |
| Main type                 | Main Circuit Breaker                               |
| Included Items            | Circuit-breaker 1) 3P 600 A 65 kA<br>Closing plate |

## Complementary

|                                |                                                        |
|--------------------------------|--------------------------------------------------------|
| Main rated current             | 600 A                                                  |
| Bus rated current              | 600 A                                                  |
| Enclosure Material             | Painted steel                                          |
| [Ue] rated operational voltage | 208Y/120 V AC<br>240/120 V delta<br>240/120 V delta AC |
| Device mounting                | Surface                                                |
| Number of Phases               | 3 phase in<br>3 phase out                              |
| Electrical connection          | Lugsneutral front<br>Busway left side                  |
| Wiring configuration           | 4-wire                                                 |
| Type of Installation           | Indoor                                                 |
| Height                         | 53.93 in (1369.82 mm)                                  |
| Width                          | 18.66 in (473.96 mm)                                   |
| Depth                          | 11.41 in (289.81 mm)                                   |

## Environment

|                        |           |
|------------------------|-----------|
| Product Certifications | UL Listed |
| Enclosure Rating       | NEMA 1    |

## Ordering and shipping details

|                   |              |
|-------------------|--------------|
| Category          | US10DE400020 |
| Discount Schedule | 0DE4         |
| GTIN              | 785901370390 |
| Returnability     | No           |
| Country of origin | MX           |

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

## Packing Units

|                        |                           |
|------------------------|---------------------------|
| Unit Type of Package 1 | PCE                       |
| Nbr. of units in pkg.  | 1                         |
| Package 1 Height       | 53.9 in (137 cm)          |
| Package 1 Width        | 18.7 in (47.4 cm)         |
| Package 1 Length       | 11.4 in (29 cm)           |
| Package weight(Lbs)    | 10.0002 lb(US) (4.536 kg) |

## Contractual warranty

|                      |    |
|----------------------|----|
| Warranty (in months) | 18 |
|----------------------|----|



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



### Environmental footprint

|                                                        |                                               |
|--------------------------------------------------------|-----------------------------------------------|
| Total lifecycle Carbon footprint                       | 22 580 kg CO2 eq.                             |
| Carbon footprint of the manufacturing phase [A1 to A3] | 44 kg CO2 eq.                                 |
| Carbon footprint of the distribution phase [A4]        | 0.8 kg CO2 eq.                                |
| Carbon footprint of the installation phase [A5]        | 0.3 kg CO2 eq.                                |
| Carbon footprint of the use phase [B2, B3, B4, B6]     | 22 528 kg CO2 eq.                             |
| Carbon footprint of the end-of-life phase [C1 to C4]   | 7 kg CO2 eq.                                  |
| Environmental Disclosure                               | <a href="#">Product Environmental Profile</a> |

## Use Better



### Materials and Substances

|                                        |                                                                                                                                                                                                                                                                                             |
|----------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Packaging made with recycled cardboard | No                                                                                                                                                                                                                                                                                          |
| Packaging without single use plastic   | No                                                                                                                                                                                                                                                                                          |
| EU RoHS Directive                      | <a href="#">Compliant By Exemption</a>                                                                                                                                                                                                                                                      |
| REACH Regulation                       | <a href="#">Reference contains Substances of Very High Concern above the threshold</a>                                                                                                                                                                                                      |
| California proposition 65              | WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a> |
| PVC free                               | No                                                                                                                                                                                                                                                                                          |

## Use Longer



### Lifetime extension

|        |    |
|--------|----|
| Repair | No |
|--------|----|

## Use Again



### Repack and remanufacture

|                               |                                          |
|-------------------------------|------------------------------------------|
| Recyclability potential, in % | 95                                       |
| Circularity Profile           | No need of specific recycling operations |
| Take-back                     | No                                       |