

Product data sheet

Specifications

SQUARE D



Meter accessory, EZ Meter-Pak, bus extension, 1200A, indoor/ outdoor, 3 phase, 4 wire, Cu, 6in

EZM3EXT6

Product availability: Stock - Normally stocked in distribution facility

Main

Device short name	EZ
Range of Product	EZ meter-pak

Complementary

Line Rated Current	1200 A
Bus rated current	1200 A
Device mounting	Surface
Enclosure Material	Steel
Product Certifications	UL Listed
Height	6.00 in (152.40 mm)
Width	19.34 in (491.24 mm)
Depth	6.37 in (161.80 mm)

Environment

Enclosure Rating	NEMA 3R
------------------	---------

Ordering and shipping details

Category	US10DE400027
Discount Schedule	0DE4
GTIN	785901521280
Returnability	Yes
Country of origin	MX

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	8.000 in (20.320 cm)
Package 1 Width	15.000 in (38.100 cm)
Package 1 Length	21.000 in (53.340 cm)
Package weight(Lbs)	22.150 lb(US) (10.047 kg)
Unit Type of Package 2	PAL
Number of Units in Package 2	20

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 2 Height	40.000 in (101.600 cm)
Package 2 Width	40.000 in (101.600 cm)
Package 2 Length	48.000 in (121.920 cm)
Package 2 Weight	446.000 lb(US) (202.302 kg)

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Total lifecycle Carbon footprint	22 641 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	96 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	2 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0.7 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	22 528 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	15 kg CO2 eq.
Environmental Disclosure	Product Environmental Profile

Use Better



Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant By Exemption
REACH Regulation	Reference contains Substances of Very High Concern above the threshold
California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
PVC free	No

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

Recyclability potential, in %	95
Circularity Profile	No need of specific recycling operations
Take-back	No