

Product data sheet

Specifications

SQUARE D



Panelboard enclosure cover, NQ/ NF, Type 1, surface, for 20in W x 92in H box

NC92S

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

Product	Surface cover
Color	Gray
Cover type	Surface cover with door

Complementary

Material	Steel
Height	92.12 in (2339.85 mm)
Width	20.12 in (511.05 mm)
Tightening torque	Cover 10...12 lb.in

Environment

Enclosure Rating	NEMA 1
------------------	--------

Ordering and shipping details

Category	US1PE1A08352
Discount Schedule	PE1A
GTIN	3606485974569
Returnability	No
Country of origin	MX

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1

Contractual warranty

Warranty (in months)	18
----------------------	----

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Total lifecycle Carbon footprint	309 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	253 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	15 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0.1 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	0 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	41 kg CO2 eq.
Environmental Disclosure	Product Environmental Profile

Use Better



Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant
REACH Regulation	Free of Substances of Very High Concern above the threshold
California proposition 65	WARNING: This product can expose you to chemicals including: Nickel compounds, which is known to the State of California to cause cancer, and Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again




Repack and remanufacture

Recyclability potential, in %	97
Circularity Profile	No need of specific recycling operations
Take-back	No
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.

Technical Illustration

Dimensions



CATALOG NUMBER	A		B		C	
	IN	MM	IN	MM	IN	MM
NC92S	26.12	663	17.70	438	8.06	194
NC92S	30.12	764	23.70	602	9.16	233
NC92S	36.12	918	29.70	754	10.18	259
NC92S	44.12	1121	35.70	907	10.18	259
NC92S	50.12	1273	41.70	1059	10.18	259
NC92S	56.12	1425	47.70	1212	10.18	259
NC92S	60.12	1528	53.70	1364	10.18	259
NC92S	66.12	1680	59.70	1516	10.18	259
NC92S	74.12	1883	65.70	1669	10.18	259
NC92S	80.12	2035	71.70	1821	10.18	259
NC92S	87.12	2211	77.70	1974	10.18	259
NC92S	93.12	2363	83.70	2126	10.18	259
NC92S	100.12	2539	89.70	2280	10.18	259
NC92S	106.12	2691	95.70	2432	10.18	259
NC92S	112.12	2843	101.70	2584	10.18	259
NC92S	118.12	2995	107.70	2736	10.18	259
NC92S	124.12	3147	113.70	2888	10.18	259
NC92S	130.12	3299	119.70	3040	10.18	259
NC92S	136.12	3451	125.70	3192	10.18	259
NC92S	142.12	3603	131.70	3344	10.18	259
NC92S	148.12	3755	137.70	3496	10.18	259
NC92S	154.12	3907	143.70	3648	10.18	259
NC92S	160.12	4059	149.70	3800	10.18	259
NC92S	166.12	4211	155.70	3952	10.18	259
NC92S	172.12	4363	161.70	4104	10.18	259
NC92S	178.12	4515	167.70	4256	10.18	259
NC92S	184.12	4667	173.70	4408	10.18	259
NC92S	190.12	4819	179.70	4560	10.18	259
NC92S	196.12	4971	185.70	4712	10.18	259
NC92S	202.12	5123	191.70	4864	10.18	259
NC92S	208.12	5275	197.70	5016	10.18	259
NC92S	214.12	5427	203.70	5168	10.18	259
NC92S	220.12	5579	209.70	5320	10.18	259
NC92S	226.12	5731	215.70	5472	10.18	259
NC92S	232.12	5883	221.70	5624	10.18	259
NC92S	238.12	6035	227.70	5776	10.18	259
NC92S	244.12	6187	233.70	5928	10.18	259
NC92S	250.12	6339	239.70	6080	10.18	259
NC92S	256.12	6491	245.70	6232	10.18	259
NC92S	262.12	6643	251.70	6384	10.18	259
NC92S	268.12	6795	257.70	6536	10.18	259
NC92S	274.12	6947	263.70	6688	10.18	259
NC92S	280.12	7099	269.70	6840	10.18	259
NC92S	286.12	7251	275.70	6992	10.18	259
NC92S	292.12	7403	281.70	7144	10.18	259
NC92S	298.12	7555	287.70	7296	10.18	259
NC92S	304.12	7707	293.70	7448	10.18	259
NC92S	310.12	7859	299.70	7600	10.18	259
NC92S	316.12	8011	305.70	7752	10.18	259
NC92S	322.12	8163	311.70	7904	10.18	259
NC92S	328.12	8315	317.70	8056	10.18	259
NC92S	334.12	8467	323.70	8208	10.18	259
NC92S	340.12	8619	329.70	8360	10.18	259
NC92S	346.12	8771	335.70	8512	10.18	259
NC92S	352.12	8923	341.70	8664	10.18	259
NC92S	358.12	9075	347.70	8816	10.18	259
NC92S	364.12	9227	353.70	8968	10.18	259
NC92S	370.12	9379	359.70	9120	10.18	259
NC92S	376.12	9531	365.70	9272	10.18	259
NC92S	382.12	9683	371.70	9424	10.18	259
NC92S	388.12	9835	377.70	9576	10.18	259
NC92S	394.12	9987	383.70	9728	10.18	259
NC92S	400.12	10139	389.70	9880	10.18	259
NC92S	406.12	10291	395.70	10032	10.18	259
NC92S	412.12	10443	401.70	10184	10.18	259
NC92S	418.12	10595	407.70	10336	10.18	259
NC92S	424.12	10747	413.70	10488	10.18	259
NC92S	430.12	10899	419.70	10640	10.18	259
NC92S	436.12	11051	425.70	10792	10.18	259
NC92S	442.12	11203	431.70	10944	10.18	259
NC92S	448.12	11355	437.70	11096	10.18	259
NC92S	454.12	11507	443.70	11248	10.18	259
NC92S	460.12	11659	449.70	11400	10.18	259
NC92S	466.12	11811	455.70	11552	10.18	259
NC92S	472.12	11963	461.70	11704	10.18	259
NC92S	478.12	12115	467.70	11856	10.18	259
NC92S	484.12	12267	473.70	12008	10.18	259
NC92S	490.12	12419	479.70	12160	10.18	259
NC92S	496.12	12571	485.70	12312	10.18	259
NC92S	502.12	12723	491.70	12464	10.18	259
NC92S	508.12	12875	497.70	12616	10.18	259
NC92S	514.12	13027	503.70	12768	10.18	259
NC92S	520.12	13179	509.70	12920	10.18	259
NC92S	526.12	13331	515.70	13072	10.18	259
NC92S	532.12	13483	521.70	13224	10.18	259
NC92S	538.12	13635	527.70	13376	10.18	259
NC92S	544.12	13787	533.70	13528	10.18	259
NC92S	550.12	13939	539.70	13680	10.18	259
NC92S	556.12	14091	545.70	13832	10.18	259
NC92S	562.12	14243	551.70	13984	10.18	259
NC92S	568.12	14395	557.70	14136	10.18	259
NC92S	574.12	14547	563.70	14288	10.18	259
NC92S	580.12	14699	569.70	14440	10.18	259
NC92S	586.12	14851	575.70	14592	10.18	259
NC92S	592.12	15003	581.70	14744	10.18	259
NC92S	598.12	15155	587.70	14896	10.18	259
NC92S	604.12	15307	593.70	15048	10.18	259
NC92S	610.12	15459	599.70	15200	10.18	259
NC92S	616.12	15611	605.70	15352	10.18	259
NC92S	622.12	15763	611.70	15504	10.18	259
NC92S	628.12	15915	617.70	15656	10.18	259
NC92S	634.12	16067	623.70	15808	10.18	259
NC92S	640.12	16219	629.70	15960	10.18	259
NC92S	646.12	16371	635.70	16112	10.18	259
NC92S	652.12	16523	641.70	16264	10.18	259
NC92S	658.12	16675	647.70	16416	10.18	259
NC92S	664.12	16827	653.70	16568	10.18	259
NC92S	670.12	16979	659.70	16720	10.18	259
NC92S	676.12	17131	665.70	16872	10.18	259
NC92S	682.12	17283	671.70	17024	10.18	259
NC92S	688.12	17435	677.70	17176	10.18	259
NC92S	694.12	17587	683.70	17328	10.18	259
NC92S	700.12	17739	689.70	17480	10.18	259
NC92S	706.12	17891	695.70	17632	10.18	259
NC92S	712.12	18043	701.70	17784	10.18	259
NC92S	718.12	18195	707.70	17936	10.18	259
NC92S	724.12	18347	713.70	18088	10.18	259
NC92S	730.12	18499	719.70	18240	10.18	259
NC92S	736.12	18651	725.70	18392	10.18	259
NC92S	742.12	18803	731.70	18544	10.18	259
NC92S	748.12	18955	737.70	18696	10.18	259
NC92S	754.12	19107	743.70	18848	10.18	259
NC92S	760.12	19259	749.70	19000	10.18	259
NC92S	766.12	19411	755.70	19152	10.18	259
NC92S	772.12	19563	761.70	19304	10.18	259
NC92S	778.12	19715	767.70	19456	10.18	259
NC92S	784.12	19867	773.70	19608	10.18	259
NC92S	790.12	20019	779.70	19760	10.18	259
NC92S	796.12	20171	785.70	19912	10.18	259
NC92S	802.12	20323	791.70	20064	10.18	259
NC92S	808.12	20475	797.70	20216	10.18	259
NC92S	814.12	20627	803.70	20368	10.18	259
NC92S	820.12	20779	809.70	20520	10.18	259
NC92S	826.12	20931	815.70	20672	10.18	259
NC92S	832.12	21083	821.70	20824	10.18	259
NC92S	838.12	21235	827.70	20976	10.18	259
NC92S	844.12	21387	833.70	21128	10.18	259
NC92S	850.12	21539	839.70	21280	10.18	259
NC92S	856.12	21691	845.70	21432	10.18	259
NC92S	862.12	21843	851.70	21584	10.18	259
NC92S	868.12	21995	857.70	21736	10.18	259
NC92S	874.12	22147	863.70	21888	10.18	259
NC92S	880.12	22299	869.70	22040	10.18	259
NC92S	886.12	22451	875.70	22192	10.18	259
NC92S	892.12	22603	881.70	22344	10.18	259
NC92S	898.12	22755	887.70	22496	10.18	259
NC92S	904.12	22907	893.70	22648	10.18	259
NC92S	910.12	23059	899.70	22800	10.18	259
NC92S	916.12	23211	905.70	22952	10.18	259
NC92S	922.12	23363	911.70	23104	10.18	259
NC92S	928.12	23515	917.70	23256	10.18	259
NC92S	934.12	23667	923.70	23408	10.18	259
NC92S	940.12	23819	929.70	23560	10.18	259
NC92S	946.12	23971	935.70	23712	10.18	259
NC92S	952.12	24123	941.70	23864	10.18	259
NC92S	958.12	24275	947.70	24016	10.18	259
NC92S	964.12	24427	953.70	24168	10.18	259
NC92S	970.12	24579	959.70	24320	10.18	259
NC92S	976.12	24731	965.70	24472	10.18	259
NC92S	982.12	24883	971.70	24624	10.18	259
NC92S	988.12	25035	977.70	24776	10.18	259
NC92S	994.12	25187	983.70	24928	10.18	259
NC92S	1000.12	25339	989.70	25080	10.18	259
NC92S	1006.12	25491	995.70	25232	10.18	259
NC92S	1012.12	25643	1001.70	25384	10.18	259