Product data sheet

Specifications

Load center, QO, 3 phase, 24 spaces, 29 circuits, 60A main breaker, NEMA1, gnd bar, UL

QO324MB60

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

Product Type	Load Center
Range of Product	QO
Load Center Type	Main breaker

Complementary

Current Rating	60 A
Number of Spaces	24
Maximum Number of Single Pole Circuits	29
Number of Phases	3 phase
Enclosure Rating	NEMA 1 indoor
Product Certifications	UL Listed CSA
Wiring Configuration	4-wire
Electrical Connection	Lugs
Busbar Material	Tin plated copper
Voltage Rating	120/240 V AC
Ambient Air Temperature for Operation	23 °F (-5 °C) 104 °F (40 °C)
Tightening Torque	Cover 20 lb.in
Cover Type	Order separately
Ground Bar	Grounding bar (ordered separately)
Enclosure Material	Welded sheet steel

Ordering and shipping details

Category	US10NET39997
Discount Schedule	0NET
GTIN	3606486138540
Returnability	No
Country of origin	US

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1

Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 1 Height	14.800 in (37.592 cm)
Package 1 Width	31.300 in (79.502 cm)
Package 1 Length	4.50 in (11.43 cm)
Package weight(Lbs)	0.160 oz (4.536 g)

Contractual warranty

Warranty (in months)	18

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained

How we assess product sustainability

Environmental footprint

Environmental Disclosure	Product Environmental Profile

Use Better

Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant By Exemption
REACh Regulation	Reference contains Substances of Very High Concern above the threshold
California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Use Longer

Lifetime extension

Repair	No

Use Again

Repack and remanufacture

Circularity Profile	No need of specific recycling operations
Take-back	No