

Product data sheet

Specifications

SQUARE D



Mini circuit breaker, QO, 50A, 2 pole, 240/415VAC, 3kA, bolt on mount

QOBXD250

- ❗ Discontinued on: 30 July 2020
- ❗ End-of-service on: 22 September 2020

❗ Discontinued

QOBXD250 has not been replaced. Please contact your customer care center for more information.

Price* : 89.00 USD

Main

Product	Miniature circuit-breaker
Range	QO
Current Rating	50 A
Voltage Rating	240/415 V AC
Mounting Type	Bolt-on
Number of Poles	2P
Circuit Breaker Type	Standard
Ratings	Not rated
Electrical Connection	Pressure plate

Complementary

Interrupt Rating	Icu 3 kA 240/415 V AC 50/60 Hz IEC 947-2
Number of Panel Spaces	2
Tightening Torque	44.25 lbf.in (5 N.m) 0.02...0.04 in² (10...25 mm²) (AWG 8...AWG 2)
Height	3.15 in (80 mm)
Width	1.50 in (38 mm)
Depth	2.91 in (74 mm)
Net Weight	0.63 lb(US) (0.286 kg)

Environment

Certifications	IEC
Ambient Rating	104 °F (40 °C)

Ordering and shipping details

Category	00920-QO INTERNATIONAL SENA
Discount Schedule	DE2A

* Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Package weight(Lbs)	10.08 oz (285.763 g)
Returnability	No


Offer Sustainability

REACH Regulation	REACH Declaration
REACH free of SVHC	Yes
EU RoHS Directive	Compliant EU RoHS Declaration
Toxic heavy metal free	Yes
Mercury free	Yes
RoHS exemption information	Yes
China RoHS Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)

Contractual warranty

Warranty	18 months
----------	-----------

Dimensions



Dimensions are approximate. Refer to technical documentation for additional detail.